

# FN-TOPSIS: Fuzzy Networks for Ranking Traded Equities

Abdul Malek Yaakob, Antoaneta Serguieva, *Member, IEEE*, and Alexander Gegov, *Member, IEEE*

**Abstract**— Fuzzy systems consisting of networked rule bases, called fuzzy networks, capture various types of imprecision inherent in financial data and in the decision-making processes on them. This paper introduces a novel extension of the Technique for Ordering of Preference by Similarity to Ideal Solution (TOPSIS) method and uses fuzzy networks to solve multi criteria decision-making problems where both benefit and cost criteria are presented as subsystems. Thus, the decision maker evaluates the performance of each alternative for portfolio optimisation and further observes the performance for both benefit and cost criteria. This approach improves significantly the transparency of the TOPSIS methods, while ensuring high effectiveness in comparison to established approaches. The proposed method is further tested to solve the problem of selection/ranking of traded equity covering developed and emergent financial markets. The ranking produced by the method is validated using Spearman rho rank correlation. Based on the case study, the proposed method outperforms the existing TOPSIS approaches in terms of ranking performance.

**Index Terms**—Fuzzy networks, Multi-criteria decision making, Portfolio selection, Ranking performance, Spearman rho correlation, TOPSIS, Type 1 fuzzy numbers, Type 2 fuzzy numbers, Z-numbers

## I. INTRODUCTION

**M**ULTI-criteria decision making (MCDM) problems are often observed in reality, and decision makers are faced with the challenge of the presence of multiple criteria. The focus is on identifying the best performing solution among feasible alternatives assessed by a group of decision makers and evaluated through multiple criteria[1]. In portfolio optimization, investors target high returns and affordable risks. Typically, assets with the potential for high returns also carry a high market risk [2]. Structuring complex problems well and considering multiple criteria explicitly lead to more informed and better decisions. There have been important advances in the field since the start of the modern multiple-criteria

decision-making discipline in the early 1960s. Various MCDM techniques have been developed with the overall objective to assist decision makers solve complex decision problems in a systematic, consistent and more productive way.

TOPSIS is an MCDM technique for ranking and selection of alternatives [15]. The TOPSIS analysis considers two reference points -a positive ideal solution (PIS) and a negative ideal solution (NIS) - as well as the distances to both PIS and NIS. The preference order is ranked according to the closeness of PIS and NIS, and according to a combination of the two distance measures. TOPSIS is considered as one of the major decision making techniques, and in recent years has been effectively applied to the areas of human resources management [3], transportation[4], product design [5], manufacturing[6], water management [7], quality control [8], military[9], tourism[10], food science [11]and location analysis[12].

TOPSIS is used in this research due to its stability and simplicity of use with cardinal information [13]. TOPSIS has been successfully applied in MCDM problems as one of the most frequent methods used. The main advantage of the TOPSIS methods is that they are easily implemented and understood, as they directly define values based on experts' opinions in order to calculate final results [14].

Fuzzy TOPSIS was introduced to approach uncertainty in linguistic judgment. Initial research on fuzzy TOPSIS was conducted in [15], where TOPSIS is extended to type-1 fuzzy environments; this extended version used type-1 fuzzy linguistic value (represented by type-1 fuzzy number, [16]) as a substitute for the directly given crisp value in grade assessment. Overall, the Type-1 fuzzy TOPSIS problem is to find the most desirable alternative(s) from a set of  $n$  feasible alternatives, according to the decision information by DMs about attribute weights and attribute values. There is no solution satisfying all attributes simultaneously, as attributes are conflicting to some extent. Thus, the solution is a set of non-inferior solutions, or a compromise solution according to the DMs preferences [17]. However, the existing fuzzy MCDM methods are only based on type-1 fuzzy sets [18]. In order to offer better care for the problems of vagueness, another discovery, type-2 fuzzy set was provided by [19]. This concept looks to comprehensively represent uncertainties, compared to type 1 fuzzy set, due to the ability of providing more flexible spaces [18].

Prof Zadeh introduced the concept of type-2 fuzzy set [20], which is a generalization of the concept of fuzzy set . This

Manuscript received August 4,2015; revised December 4, 2015; accepted February 11, 2016. This work was partially supported by Universiti Utara Malaysia.

Abdul Malek Yaakob, School of Quantitative Sciences, Universiti Utara Malaysia, 06010 Sintok, Kedah, Malaysia. (e-mail: abd.malek@uum.edu.my).

Antoaneta Serguieva, Department of Computer Science, University College London, 66-72 Gower Street, London WC1E 6EA, United Kingdom. (e-mail: a.serguieva@ucl.ac.uk).

Alexander Gegov, School of Computing, University of Portsmouth, Buckingham Building, Lion Terrace, Portsmouth PO1 3HE, United Kingdom. (e-mail: alexander.gegov@port.ac.uk).

concept is illustrated by a fuzzy membership function, where each element of this set is a fuzzy set in  $[0, 1]$ , unlike a type-1 fuzzy set where the membership grade is a crisp number in  $[0, 1]$  [21]. The membership functions of type 2 fuzzy set are three dimensional and include a Footprint of Uncertainty (FOU) as the new third dimension, which can be described as the union of the primary memberships [22]. The FOU provides additional degrees of freedom to directly model and process uncertainties, and type-2 fuzzy set is more comprehensive compared to fuzzy set in providing more flexibility spaces to represent uncertainties [23]. The challenges in computational volume have led to the development of interval type-2 fuzzy set in 2000 by Mendel and Liang [24]. It can be viewed as a special case, as all values of secondary membership are equal to 1 [25]. Currently, interval type-2 fuzzy set is widely used and successfully applied in perceptual computing[26], [27], control systems [28]–[31] and the MCDM field. One of the MCDM methods incorporating interval type 2 fuzzy set is the Interval Type-2 Fuzzy TOPSIS (T2-TOPSIS), which was first established in [18]. The authors introduced a T2-TOPSIS method to approach fuzzy MCDM problems.

Most recently, Z-number has been the newest fuzzy number presented in the literature of fuzzy sets. Z-number is introduced in [32] as an extension of type-1 fuzzy number but is completely different from type-2 fuzzy number. Although both Z -number and type-2 fuzzy number are extensions of type-1 fuzzy number, the former is capable of measuring the reliability of the decision made while the latter is not. Since fuzzy numbers are the medium of quantitative representation for natural language, Z- number enhances the capability of both type-1 and type-2 fuzzy numbers by taking into account the reliability of the numbers used [32]. According to [33], Z-number is represented by two embedded type-1 fuzzy numbers, where one of them plays the role to define the reliability of the first one. Research on utilizing Z-number in decision making applications is inadequate as compared to other fuzzy numbers, as it is a new concept developed in the theory of fuzzy sets. One of the MCDM methods that implemented Z-number is called Z-TOPSIS and was first established in [34]. The authors presented a Z-TOPSIS method to handle fuzzy MCDM problems, in order to give a meaningful structure for formalizing information in decision making problems, as it takes into account decision makers' reliability. Z-numbers uncertainty relates to fuzziness of class boundaries. Possibility theory is rooted in uncertainty of type-1, however over the years, possibility theory has moved in the direction of extending its domain to accommodate uncertainty of type-2 [35].

Fuzzy systems are vital within the armoury of fuzzy tools and applicable to real-life decision-making environments. There are three types of fuzzy systems introduced in the literature -systems with a single rule base, systems with multiple rule bases, and systems with networked rule bases. Systems with a single rule base are characterised with a black box nature, where the inputs are mapped directly to the output without considering any internal connection. Systems with

multiple rule bases are characterised with a white box nature, where the inputs are mapped to the outputs through interval variables as connections. This type of systems is also termed chained fuzzy systems or hierarchical fuzzy systems. The third type of fuzzy systems incorporates networked rule bases, and is termed fuzzy networks (FN). Fuzzy networks are introduced as a theoretical concept in [36] and are characterised with a white box nature, where the inputs are mapped to the outputs through intermediate variables.

According to [37], the accuracy of single rule base is moderate but the level of transparency is low, while multiple rule bases are regarded as having low accuracy in dealing with complex processes management. While in most decision making studies, single rule bases and multiple rule bases are common approaches [38], in this research we focus on fuzzy networks as they are both well transparent and accurate. A node represents each subsystem in a FN whereby the interactions among subsystems are the connections between nodes. Therefore FNs consider explicitly the interaction among subsystems[37]. A fuzzy network is more transparent than a single rule based fuzzy system for decision making because it considers separately benefit related and cost related criteria. This network takes into account explicitly the internal structure of the modelled process by representing each group of criteria as a node and the interactions among different groups as connections. This network based approach allows the modelled process to be presented as a white-box in contrast to the existing system based approaches that use a black-box presentation. In this case, the white-box presentation improves significantly the transparency of the model due to the explicit and adequate reflection of the internal structure of the modelled process. This ability brings considerable benefits to modelling complex processes, and although FNs have been introduced recently, a significant volume of work have been done and dedicated to the theoretical development and applications of FNs [36]-[37], [39]-[40].

On the other hand, the reliability of decision information and the experience of experts are still in need of better incorporation into modelling complex decision-making processes. For example, how confident in their choices are investors as decision makers, and how much experience experts as financial analysts have in relevant asset classes and markets [41]. Furthermore, existing TOPSIS methods have a very low transparency level, and therefore are not able to track the performance of benefit and cost criteria[42]. In decision making processes, it is important that decision makers are aware of how the multiple criteria are performing. Based on [43], in decision making environment it is essential to track the performance of criteria, in order to take control and not underestimate or overestimate uncertainty of the criteria. The proposed method represents a systematic TOPSIS approach to estimating the strengths and weaknesses of alternatives that satisfy transactions, activities or functional requirements for a business. In addition to that, tracking of criteria allows decision makers to determine if it is a sound investment/decision (justification/feasibility) and provides a

basis for comparing alternatives. In this case, it involves comparing the total expected cost criteria of each alternative against the total expected benefits criteria, to see whether the benefits outweigh the costs and by how much. The inefficiencies described above bring the motivation of this study.

The paper proposes a novel fuzzy network based modelling method that represents an extension of fuzzy set theory. The method has been validated comparatively against established fuzzy system based modelling methods for a case study on ranking traded equities. The main advantages of the proposed method in the context of this case study are its higher transparency and accuracy. The paper is structured as follows: Section II briefly reviews the concepts of fuzzy sets and fuzzy systems, and the operation of fuzzy networks. The novel methodology of TOPSIS using fuzzy networks with merging rule bases FN-TOPSIS is formulated in Section III. Section IV illustrates the application of FN-TOPSIS to the problem of ranking equities traded on the major stock exchanges in a developed and a developing financial market. Further discussion and analysis of the FN-TOPSIS ranking performance are provided in Section V. The main conclusions are summarised in Section VI.

## II. THEORETICAL PRELIMINARIES

### A. Fuzzy Sets

*Definition 1*[20]: *Type-1 Fuzzy sets*

A type-1 fuzzy set  $A$  is defined on a universe  $X$ , and is denoted as:

$$A = \{(x, \mu_A(x)) \mid x \in X\}$$

where  $\mu_A(x): X \rightarrow [0,1]$  is the membership function of  $A$ .

The membership  $\mu_A(x)$  describes the degree of belongingness of  $x \in X$  in  $A$ . Throughout this paper, type-1, type-2 fuzzy numbers and Z-numbers are presented through trapezoidal membership functions. The good coverage of trapezoidal membership functions is a good compromise between efficiency and effectiveness.

*Definition 2*[44]: *Type-1 Fuzzy Numbers*

A trapezoidal type-1 fuzzy number is represented by the following membership function:

$$\mu_A(x) = (a_1, a_2, a_3, a_4) = \begin{cases} \frac{x-a_1}{a_2-a_1} & \text{if } a_1 \leq x \leq a_2 \\ 1 & \text{if } a_2 \leq x \leq a_3 \\ \frac{a_4-x}{a_4-a_3} & \text{if } a_3 \leq x \leq a_4 \\ 0 & \text{otherwise} \end{cases}$$

*Definition 3*[19]: *Type-2 Fuzzy sets*

A type-2 fuzzy set  $\tilde{A}$  in the universe of discourse  $X$  is represented by a type-2 membership function  $\mu_{\tilde{A}}$  as follows:

$\tilde{A} = \{(x, u), \mu_{\tilde{A}}(x, u) \mid \forall u \in J_x \subseteq [0,1], 0 \leq \mu_{\tilde{A}}(x, u) \leq 1\}$  where  $J_x$  denotes an interval in  $[0, 1]$ . A type-2 fuzzy set  $\tilde{A}$  can also be represented as:

$$\tilde{A} = \int_{x \in X} \int_{u \in J_x} \mu_{\tilde{A}}(x, u) / (x, u)$$

where  $J_x \subseteq [0,1]$  and  $\int \int$  denotes the union over all admissible  $x$  and  $u$ .

*Definition 4*[19]: *Interval Type-2 Fuzzy Numbers*

A trapezoidal interval type-2 fuzzy number is represented by:

$$\tilde{A} = (\tilde{A}^U, \tilde{A}^L) = ((a_1^U, a_2^U, a_3^U, a_4^U; \mu_1(\tilde{A}^U), \mu_2(\tilde{A}^U)), (a_1^L, a_2^L, a_3^L, a_4^L; \mu_1(\tilde{A}^L), \mu_2(\tilde{A}^L))),$$

where  $\tilde{A}^U$  and  $\tilde{A}^L$  are type-1 fuzzy numbers while  $a_1^U, a_2^U, a_3^U, a_4^U, a_1^L, a_2^L, a_3^L, a_4^L$  and  $a_i^L$  are the reference points of the interval type-2 fuzzy number  $\tilde{A}$ . Also,  $\mu_j(\tilde{A}^U)$  denotes the membership value of the element  $a_{(j+1)}^U$  in the upper trapezoidal membership function  $\tilde{A}^U$  for  $1 \leq j \leq 2$ , and  $\mu_j(\tilde{A}^L)$  denotes the membership value of the lower trapezoidal membership function  $\tilde{A}^L$  for  $1 \leq j \leq 2$ . Here,  $\mu_1(A^U) \in [0,1], \mu_2(A^U) \in [0,1], \mu_1(A^L) \in [0,1]$ , and  $\mu_2(A^L) \in [0,1]$ , for  $1 \leq i \leq n$ .

*Definition 5*[32]: *Z-numbers*

Z-number is an ordered pair of type-1 fuzzy numbers denoted as  $Z = (\tilde{A}, \tilde{B})$ . The first component  $\tilde{A}$ , a restriction on the values is a real-valued uncertain variable. The second component  $\tilde{B}$  is a measure of reliability for the first component.

The concept of a Z-number  $Z = (\tilde{A}, \tilde{B})$  provides a basis for computation with fuzzy numbers that have various reliability. The second component  $\tilde{B}$  may be interpreted as a response to the question: How confident are decision makers that  $\tilde{x}$  is  $\tilde{A}$ .

### B. Fuzzy Systems

A fuzzy system consists of a single rule base where inputs are processed simultaneously without taking into account the connections and the structure of the system. For this type of system, the rules are derived based on expert knowledge about the process. The results are normally quite accurate but the poor transparency of the system can be an obstacle to understanding complex processes.

### C. Fuzzy Networks

A fuzzy network is a new type of fuzzy system, which consists of networked rule bases (nodes) and deals with inputs sequentially, while taking into account the connections and structure of the system. The rules for both fuzzy systems and fuzzy networks are derived from knowledge and data. A



pair of parallel nodes in fuzzy network. The inputs to the product node represent the union of the inputs to the operand nodes, and the outputs from the product node represent the union of the output from the operand nodes.

Therefore, if the first operand node is the rule base in Eq. (1) that is represented by the Boolean matrix in Eq. (2), and the second operand is the rule base in Eq. (7) that is represented by the generalised Boolean matrix in Eq. (8):

Rule 1: If  $w_1$  is  $R_{11}$  and ...and  $w_g$  is  $R_{g1}$  then  $y_1$  is (7)

$Q_{11}$  and ...and  $w_h$  is  $Q_{h1}$   
 $\vdots$   $\vdots$   $\vdots$

Rule  $s$ : If  $w_1$  is  $R_{1s}$  and ...and  $w_g$  is  $R_{gs}$  then  $y_1$

is  $Q_{1s}$  and ...and  $w_h$  is  $Q_{hs}$

then the generalised Boolean matrix of Eq. (8) is described with Eq. (9):

$$\begin{array}{ccc} & Q_{11} \cdots Q_{h1} & \cdots & Q_{1s} \cdots Q_{hs} \\ R_{11} \cdots R_{g1} & 1 & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ R_{1r} \cdots R_{gs} & 0 & \cdots & 1 \end{array} \quad (8)$$

The product node is the rule in Eq. (9):

Rule 1: If  $p_1$  is  $S_{11}$  and ...and  $p_m$  is  $S_{m1}$  and  $w_1$  (9)

is  $R_{11}$  and ...and  $w_g$  is  $R_{g1}$  then  $q_1$  is  $T_{11}$  and ...and

$q_n$  is  $T_{n1}$  and  $y_1$  is  $Q_{11}$  and ...and  $y_h$  is

$\vdots$   $\vdots$   $\vdots$

Rule  $r \cdot s$ : If  $p_1$  is  $S_{1r}$  and ...and  $p_m$  is  $S_{mr}$  and

$w_1$  is  $R_{1s}$  and ...and  $w_g$  is  $R_{gs}$  then  $q_1$  is  $T_{1r}$  and

...and  $q_n$  is  $T_{nr}$  and  $y_1$  is  $Q_{1s}$  and ...and  $y_h$  is

$Q_{hs}$  ,

and the generalised Boolean matrix of Eq. (9) is constructed in Eq. (10) as follows:

$$\begin{array}{ccc} & T_{11} \cdots T_{n1} & \cdots & T_{1r} \cdots T_{nr} \\ Q_{11} \cdots Q_{h1} & & \cdots & Q_{1s} \cdots Q_{hs} \\ S_{11} \cdots S_{m1} & 1 & \cdots & 0 \\ R_{11} \cdots R_{g1} & \vdots & \ddots & \vdots \\ \vdots & \vdots & \ddots & \vdots \\ S_{1r} \cdots S_{mr} & 0 & \cdots & 1 \\ R_{gr} \cdots R_{gs} & & & \end{array} \quad (10)$$

In this case, the fuzzy system described by the rule base in Eq. (8) has  $s$  rules,  $g$  inputs  $w_1 \cdots w_g$  taking linguistic terms from the input sets  $\{R_{11} \cdots R_{1s}\}, \dots, \{R_{g1} \cdots R_{gs}\}$ , and  $h$  outputs  $y_1 \cdots y_h$  taking linguistic terms from the output sets  $\{Q_{11} \cdots Q_{1s}\}, \dots, \{Q_{h1} \cdots Q_{hs}\}$ . However, the fuzzy system described by the rule base in Eq. (10) is with  $r \cdot s$  rules,  $m + g$  inputs  $x_1 \cdots x_m, w_1 \cdots w_g$  taking linguistic terms from

the input sets

$$\{S_{11}, \dots, S_{1r}\}, \dots, \{S_{m1}, \dots, S_{mr}\}, \{R_{11}, \dots, R_{1s}\}, \dots, \{R_{g1} \cdots R_{gs}\},$$

and  $n + h$  outputs  $q_1, \dots, q_g, y_1, \dots, y_h$  taking linguistic terms from the output sets

$$\{T_{11}, \dots, T_{1r}\}, \dots, \{T_{n1}, \dots, T_{nr}\}, \{Q_{11}, \dots, Q_{1s}\}, \dots, \{Q_{h1} \cdots Q_{hs}\}.$$

The number of rules in the product rule base is equal to the product of the number of rules in the operand rule bases. For simplicity, the notations used in Fig. 2 are in a vector form where the vectors  $x, y, v, w$  have dimensions  $n, m, g, h$ , respectively.

### III. METHOD FORMULATION

In this approach, the decision makers opinions are evaluated independently, since they may have different influence degrees, depending on their experience in the area. Furthermore, criteria are categorised into benefit criteria or cost criteria. Each category generates correspondingly benefit fuzzy systems or cost fuzzy systems, where the output of the systems is Benefit Levels (BL) or Cost Levels (CL), representing the performance of each category .Fig. 3 illustrates the proposed Generalised Fuzzy Network Model for TOPSIS, where Benefit subsystem (BS), Cost subsystem (CS) and Alternatives subsystems (AS) are incorporated in the form of fuzzy network nodes. The inputs are the benefit criteria  $B_1, \dots, B_e$  and the cost criteria  $C_1, \dots, C_f$ . At the end of the process, Alternatives Levels (AL) are determined. The dotted frame represents the vertical merging of rule bases, and the dashed frame illustrates the horizontal merging of rule bases.

The next subsections, illustrate systematically the implementation of Type-1, Type-2 and Z-fuzzy numbers to FN-TOPSIS.

#### A. Type-1 Fuzzy Number Implementation

The following Table I and Table II are used by decision makers to evaluate the rating of alternatives and the importance of criteria, and Table III is used to determine the alternative level as the output, in generating fuzzy rule bases.

The following are the procedures involved in implementing a fuzzy network with merging rule bases to TOPSIS, based on Type-1fuzzy numbers. Steps 1-6 are adopted from [15] and [45], while steps 7-10 are introduced as part of the proposed method in this paper.

#### Step 1:

*Construct decision matrices where each decision maker opinion is evaluated independently, and categorise into two Criteria Categories as Benefit Criteria and Cost Criteria defined through a Benefit System and a Cost System.*

In the decision matrices  $D_k^B, D_k^C$  and weight matrices  $W_k^B, W_k^C$  ( $k = 1, \dots, K$ ), it is assumed that  $e$  is the number of benefit criteria,  $f$  is the number of cost criteria, and  $k$  is the number of the decision maker as shown in Eq. (11):

$$D_k^B = \begin{matrix} B_1 \\ B_2 \\ \vdots \\ B_e \end{matrix} \begin{bmatrix} x_{11,k} & x_{12,k} & \cdots & x_{1m,k} \\ x_{21,k} & x_{22,k} & \cdots & x_{2m,k} \\ \vdots & \vdots & \ddots & \vdots \\ x_{e1,k} & x_{e2,k} & \cdots & x_{em,k} \end{bmatrix} \text{ and} \quad (11)$$

$$D_k^C = \begin{matrix} C_1 \\ C_2 \\ \vdots \\ C_f \end{matrix} \begin{bmatrix} y_{11,k} & y_{12,k} & \cdots & y_{1m,k} \\ y_{21,k} & y_{22,k} & \cdots & y_{2m,k} \\ \vdots & \vdots & \ddots & \vdots \\ y_{f1,k} & y_{f2,k} & \cdots & y_{fm,k} \end{bmatrix};$$

$$W_k^B = [g_{1,k} \quad g_{2,k} \quad \cdots \quad g_{e,k}] \text{ and}$$

$$W_k^C = [h_{1,k} \quad h_{2,k} \quad \cdots \quad h_{f,k}], \text{ for } k=1, \dots, K.$$

where  $x_{ij,k}$  are Type-1 fuzzy sets representing the rating of alternatives  $A_j$  ( $j=1, \dots, m$ ) with respect to benefit criteria  $B_i$  ( $i=1, \dots, e$ ) according to the  $k^{th}$  decision maker, and  $g_{i,k}$  are Type-1 fuzzy sets representing the weights of benefit criteria  $B_{i,k}$  ( $i=1, \dots, e$ ) according to the  $k^{th}$  decision maker, where  $k=1, \dots, K$ . Also,  $y_{ij,k}$  are Type-1 fuzzy sets describing the rating of alternatives  $A_j$  ( $j=1, \dots, m$ ) with respect to cost criteria  $C_i$  ( $i=1, \dots, f$ ) according to the  $k^{th}$  decision maker, and  $h_{i,k}$  are Type-1 fuzzy sets describing the weights of cost criteria  $C_i$  ( $i=1, \dots, f$ ) according to the  $k^{th}$  decision maker, where  $k=1, \dots, K$ .

**Step 2:**

*Construct weighted and normalized decision matrices.*

The fuzzy rating and weight of each criterion are variables described with Type-1 trapezoidal fuzzy numbers. The ratings of alternatives  $A_j$  ( $j=1, \dots, m$ ) are described with the Type-1 trapezoidal fuzzy numbers  $x_{ij,k} = (a_{ij,k}^x, b_{ij,k}^x, c_{ij,k}^x, d_{ij,k}^x)$  and  $y_{ij,k} = (a_{ij,k}^y, b_{ij,k}^y, c_{ij,k}^y, d_{ij,k}^y)$ , while the importance of benefit criteria  $B_i$  ( $i=1, \dots, e$ ) and cost criteria  $C_i$  ( $i=1, \dots, f$ ) are respectively represented by  $g_{i,k} = (a_{i,k}^g, b_{i,k}^g, c_{i,k}^g, d_{i,k}^g)$  and  $h_{i,k} = (a_{i,k}^h, b_{i,k}^h, c_{i,k}^h, d_{i,k}^h)$ , for  $k=1, \dots, K$ . The normalized fuzzy decision matrices  $R_k$  and weight normalized fuzzy decision matrices  $V_k$  are calculated as shown in Eq. (12):

$$R_k = [r_{ij,k}]_{(e+f) \times m}, \quad (12)$$

where

$$r_{ij,k} = \begin{cases} r_{ij,k}^B = \left( \frac{a_{ij,k}^x}{d_{i,k}^{x*}}, \frac{b_{ij,k}^x}{d_{i,k}^{x*}}, \frac{c_{ij,k}^x}{d_{i,k}^{x*}}, \frac{d_{ij,k}^x}{d_{i,k}^{x*}} \right), \text{ for } B_i \in B \\ r_{ij,k}^C = \left( \frac{a_{ij,k}^{y*}}{d_{ij,k}^y}, \frac{a_{ij,k}^{y*}}{c_{ij,k}^y}, \frac{a_{ij,k}^{y*}}{b_{ij,k}^y}, \frac{a_{ij,k}^{y*}}{a_{ij,k}^y} \right), \text{ for } C_i \in C \end{cases}$$

$$d_{i,k}^{x*} = \max_j d_{ij,k}^x, \quad (i=1, \dots, e), \quad (j=1, \dots, m)$$

$$a_{i,k}^{y*} = \min_j a_{ij,k}^y, \quad (i=1, \dots, f), \quad (j=1, \dots, m)$$

$B$  and  $C$  are the sets of benefit criteria and cost criteria respectively;

$$V_k = [v_{ij,k}]_{(e+f) \times m},$$

where

$$v_{ij,k} = \begin{cases} v_{ij,k}^B = r_{ij,k}(\cdot)g_{i,k} & , \text{ for } B_i \in B \\ v_{ij,k}^C = r_{ij,k}(\cdot)h_{i,k} & , \text{ for } C_i \in C \end{cases}$$

and

$$v_{ij,k}^v = (a_{ij,k}^v, b_{ij,k}^v, c_{ij,k}^v, d_{ij,k}^v) \text{ are Type-1 fuzzy sets;}$$

for  $k=1, \dots, K$ .

**Step 3:**

*Find the Fuzzy Positive Ideal Solution (FPIS) and Fuzzy Negative Ideal Solution (FNIS) for each alternative, and the distance between each alternative to FPIS and FNIS.*

The FPIS and FNIS solutions are correspondingly

$$A_k^+ = (v_{1,k}^+, v_{2,k}^+, \dots, v_{(e+f),k}^+) \text{ and } A_k^- = (v_{1,k}^-, v_{2,k}^-, \dots, v_{(e+f),k}^-),$$

where  $v_{ij,k}^+ = (1 \ 1 \ 1 \ 1)$  and  $v_{ij,k}^- = (0 \ 0 \ 0 \ 0)$  are Type-1 fuzzy sets, for  $k=1, \dots, K$ . The distance for benefit criteria of each alternative  $j$  from  $A_k^+$  is  $\Delta_{j,k}^{B+}$ , calculated as shown in Eq. (13):

$$\Delta_{j,k}^{B+} = \sum_{i=1}^e \Delta_k^B(v_{ij,k}^B, v_{i,k}^+), \text{ where} \quad (13)$$

$$\Delta_k^B(v_{ij,k}^B, v_{i,k}^+) = \sqrt{\frac{1}{3} \left[ (a_{ij,k}^{v,B} - 1)^2 + (b_{ij,k}^{v,B} - 1)^2 + (c_{ij,k}^{v,B} - 1)^2 + (d_{ij,k}^{v,B} - 1)^2 \right]}$$

, for  $j=1, \dots, m$ , and  $B_i \in B$ , and  $k=1, \dots, K$ .

The distance for benefit criteria of each alternative from  $A_k^-$  is  $\Delta_{j,k}^{B-}$ , calculated as shown in Eq. (14):

$$\Delta_{j,k}^{B-} = \sum_{i=1}^e \Delta_k^B(v_{ij,k}^B, v_{i,k}^-), \text{ where} \quad (14)$$

$$\Delta_k^B(v_{ij,k}^B, v_{i,k}^-) = \sqrt{\frac{1}{3} \left[ (a_{ij,k}^{v,B} - 0)^2 + (b_{ij,k}^{v,B} - 0)^2 + (c_{ij,k}^{v,B} - 0)^2 + (d_{ij,k}^{v,B} - 0)^2 \right]}$$

for  $j = 1, \dots, m$ , and  $B_i \in B$ , and  $k = 1, \dots, K$ .

The distance for cost criteria of each alternative from  $A_k^+$  is  $\Delta_{j,k}^{C+}$ , calculated as shown in Eq. (15):

$$\Delta_{j,k}^{C+} = \sum_{i=1}^f \Delta_k^C(v_{ij,k}^C, v_{i,k}^+), \text{ where} \quad (15)$$

$$\Delta_k^C(v_{ij,k}^C, v_{i,k}^+) = \sqrt{\frac{1}{3}[(a_{ij,k}^{v,C} - 1)^2 + (b_{ij,k}^{v,C} - 1)^2 + (c_{ij,k}^{v,C} - 1)^2 + (d_{ij,k}^{v,C})^2]}$$

for  $j = 1, \dots, m$ , and  $C_i \in C$ , and  $k = 1, \dots, K$ .

Finally, the distance for cost criteria of each alternative from  $A_k^-$  is  $\Delta_{j,k}^{C-}$ , calculated as shown in Eq. (16):

$$\Delta_{j,k}^{C-} = \sum_{i=1}^f \Delta_k^C(v_{ij,k}^C, v_{i,k}^-), \text{ where} \quad (16)$$

$$\Delta_k^C(v_{ij,k}^C, v_{i,k}^-) = \sqrt{\frac{1}{3}[(a_{ij,k}^{v,C} - 0)^2 + (b_{ij,k}^{v,C} - 0)^2 + (c_{ij,k}^{v,C} - 0)^2 + (d_{ij,k}^{v,C} - 0)^2]}$$

for  $j = 1, \dots, m$ , and  $C_i \in C$ , and  $k = 1, \dots, K$ .

**Step 4:**

Find the closeness coefficients for both the benefit and cost systems.

The closeness coefficients  $CC_{j,k}^B$  for the benefit systems, and the closeness coefficients  $CC_{j,k}^C$  for the cost systems, are calculated in Eq. (17):

$$CC_{j,k}^B = \frac{\Delta_{j,k}^{B-}}{\Delta_{j,k}^{B+} + \Delta_{j,k}^{B-}}, \quad CC_{j,k}^C = \frac{\Delta_{j,k}^{C-}}{\Delta_{j,k}^{C+} + \Delta_{j,k}^{C-}} \quad (17)$$

for  $j = 1, \dots, m$  and  $k = 1, \dots, K$ .

**Step 5:**

Derive the Influenced Closeness Coefficients (ICC) by applying the influence degree of each decision maker. Then find the normalised ICC (NICC), dividing the ICC by the maximum value of ICC.

Let  $\theta_k$  denotes the influence degree, between 0 (un-influential) and 10 (very influential), of decision maker  $k$ , where  $k = 1, \dots, K$ . Next, let  $\sigma_k$  stands for the normalized influence degree of the  $k^{th}$  decision maker,  $k = 1, \dots, K$ , as evaluated with Eq. (18):

$$\sigma_k = \frac{\theta_k}{\sum_{l=1}^K \theta_l}, \text{ for } k = 1, \dots, K. \quad (18)$$

Eq. (19) evaluates the influence closeness coefficients  $ICC_{j,k}^B$  and  $ICC_{j,k}^C$  for each DM  $k$ , respectively along the benefit and cost criteria.

$$ICC_{j,k}^B = \sigma_k * CC_{j,k}^B \text{ and } ICC_{j,k}^C = \sigma_k * CC_{j,k}^C \text{ for } \quad (19)$$

$j = 1, \dots, m$  and  $k = 1, \dots, K$ .

It is further necessary to normalize the coefficients, in order to ensure that their values vary between 0 to 1. Eq. (20) evaluates the normalised coefficients, where  $NICCC_{j,k}^B$  and  $NICCC_{j,k}^C$  are respectively the normalized influence closeness coefficients for the benefit and cost systems, as related to the  $k^{th}$  decision maker.

$$NICCC_{j,k}^B = \frac{ICC_{j,k}^B}{\max_j ICC_{j,k}^B} \quad \text{and} \quad (20)$$

$$NICCC_{j,k}^C = \frac{ICC_{j,k}^C}{\max_j ICC_{j,k}^C}$$

for  $j = 1, \dots, m$  and  $k = 1, \dots, K$ .

Both  $NICCC_{j,k}^B$  and  $NICCC_{j,k}^C$  will take linguistic terms from Table III for the level of alternatives performance.

**Step 6:**

Construct the antecedent matrices and the consequent matrices for the BS and CS systems, based on DMs opinions and the values of the NICC coefficients.

Having the opinions  $D_k^B$  and  $D_k^C$  of all DMs ( $k = 1, \dots, K$ ) on each alternative  $j$  ( $j = 1, \dots, m$ ) in respect to each benefit criterion  $i$  ( $i = 1, \dots, e$ ) and each cost criterion  $i$  ( $i = 1, \dots, f$ ) (see Eq. 11), we can define the BS antecedent matrix  $X_k$  and the CS antecedent matrix  $Y_k$  for each DM  $k$ , as introduced with Eq. (21):

$$X_k = \begin{bmatrix} x_{11,k} & x_{12,k} & \dots & x_{1m,k} \\ x_{21,k} & x_{22,k} & \dots & x_{2m,k} \\ \vdots & \vdots & \ddots & \vdots \\ x_{e1,k} & x_{e2,k} & \dots & x_{em,k} \end{bmatrix} \text{ and} \quad (21)$$

$$Y_k = \begin{bmatrix} y_{11,k} & y_{12,k} & \dots & y_{1m,k} \\ y_{21,k} & y_{22,k} & \dots & y_{2m,k} \\ \vdots & \vdots & \ddots & \vdots \\ y_{f1,k} & y_{f2,k} & \dots & y_{fm,k} \end{bmatrix} \text{ for } k = 1, \dots, K$$

where  $x_{ij,k}$  and  $y_{ij,k}$  are linguistic terms describing decision makers' opinions. Having determined the  $NICCC_{j,k}^B$  and  $NICCC_{j,k}^C$  coefficients for all decision makers ( $k = 1, \dots, K$ ), next the benefit consequent matrix  $\Lambda_k$  and the cost consequent matrix  $\Psi_k$  are defined as shown in Eq. (22):

$$\Lambda_k = [\lambda_{1,k} \quad \lambda_{2,k} \quad \dots \quad \lambda_{m,k}] \text{ and} \quad (22)$$

$$\Psi_k = [\psi_{1,k} \quad \psi_{2,k} \quad \dots \quad \psi_{m,k}] \text{ for } k = 1, \dots, K$$

where  $\lambda_{i,k}$  and  $\psi_{i,k}$  are linguistic terms representing the output of the BS and CS systems, based respectively on the values of  $NICC_{j,k}^B$  and  $NICC_{j,k}^C$ . With reference to FPIS and FNIS, FPIS represents the compromise solution while FNIS represents the worst possible solution. The range is within the closed interval [0, 1]. NICC equation illustrates the distance of each alternative from FPIS and FNIS with the nearest value to compromise solution which is 1. The closer the NICC to 1, the higher the priority of the alternatives. The scalar is translated into linguistic term to which the scalar has the highest membership degree. The benefit sub system consists of  $K$  matrix decision rules presented in Eq. (23):

$$\text{If } X_k = \begin{bmatrix} x_{11,k} & x_{12,k} & \cdots & x_{1m,k} \\ x_{21,k} & x_{22,k} & \cdots & x_{2m,k} \\ \vdots & \vdots & \ddots & \vdots \\ x_{e1,k} & x_{e2,k} & \cdots & x_{em,k} \end{bmatrix} \text{ then} \quad (23)$$

$$\Lambda_k = [\lambda_{1,k} \quad \lambda_{2,k} \quad \cdots \quad \lambda_{m,k}] \text{ for } k=1, \dots, K ;$$

And can be described with the rule bases in Eq. (24):

$$\text{Rule 1: If } B_1 \text{ is } x_{11,k} \text{ and } \cdots \text{ and } B_e \text{ is } x_{e1,k} \text{ then} \quad (24)$$

$$BL \text{ is } \begin{bmatrix} \lambda_{1,k} \\ \vdots \\ \vdots \\ \vdots \end{bmatrix}$$

$$\text{Rule } m: \text{ If } B_1 \text{ is } x_{1m,k} \text{ and } \cdots \text{ and } B_e \text{ is } x_{em,k} \text{ then}$$

$$BL \text{ is } \lambda_{m,k}$$

where  $BL$  is the benefit level of alternatives, for  $j=1, \dots, m$  and for  $k=1, \dots, K$ ; The cost system consists of  $K$  matrix decision rules presented in Eq. (25):

$$\text{If } Y_k = \begin{bmatrix} y_{11,k} & y_{12,k} & \cdots & y_{1m,k} \\ y_{21,k} & y_{22,k} & \cdots & y_{2m,k} \\ \vdots & \vdots & \ddots & \vdots \\ y_{f1,k} & y_{f2,k} & \cdots & y_{fm,k} \end{bmatrix} \text{ then} \quad (25)$$

$$\Psi_k = [\psi_{1,k} \quad \psi_{2,k} \quad \cdots \quad \psi_{m,k}] \text{ for } k=1, \dots, K ;$$

and can be described with the rule bases in Eq. (26):

$$\text{Rule 1: If } C_1 \text{ is } y_{11,k} \text{ and } \cdots \text{ and } C_f \text{ is } y_{f1,k} \text{ then} \quad (26)$$

$$CL_1 \text{ is } \begin{bmatrix} \psi_{1,k} \\ \vdots \\ \vdots \\ \vdots \end{bmatrix}$$

$$\text{Rule } m: \text{ If } C_1 \text{ is } y_{f1,k} \text{ and } \cdots \text{ and } C_f \text{ is } y_{fm,k}$$

$$\text{then } CL_m \text{ is } \psi_{m,k}$$

where  $CL$  is the cost level of alternatives, for  $j=1, \dots, m$  and  $k=1, \dots, K$ .

### Step 7:

Construct the antecedent matrices and consequent matrices for the Alternatives System (AS).

The AS antecedent matrices  $M_k$  are based on the Benefit Levels  $\Lambda_k$  and Cost Levels  $\Psi_k$ , which are the outputs of the BS and CS systems correspondingly. The antecedent matrix of

a system with two inputs, i.e.  $BL$  and  $CL$ , each taking  $m$  possible values, will be usually of size  $2 \times (m \cdot m)$ , as presented in Eq. (27).

$$M_k = \begin{matrix} BL \\ CL \end{matrix} \begin{bmatrix} \lambda_{1,k} & \cdots & \lambda_{1,k} & \cdots & \lambda_{m,k} & \cdots & \lambda_{m,k} \\ \psi_{1,k} & \cdots & \psi_{m,k} & \cdots & \psi_{1,k} & \cdots & \psi_{m,k} \end{bmatrix} \quad (27)$$

$$\text{for } k=1, \dots, K .$$

However, in this case each tuple of inputs  $(\lambda_{j,k}, \psi_{j,k})$  stands for the assessed levels of the same alternative  $j$  through two types of criteria – benefits and costs. Therefore, the AS antecedent matrices  $M_k$  are of size  $2 \times m$ , as constructed in Eq. (28):

$$M_k = \begin{matrix} BL \\ CL \end{matrix} \begin{bmatrix} \lambda_{1,k} & \lambda_{2,k} & \lambda_{3,k} & \cdots & \lambda_{m,k} \\ \psi_{1,k} & \psi_{2,k} & \psi_{3,k} & \cdots & \psi_{m,k} \end{bmatrix} \quad (28)$$

$$\text{for } k=1, \dots, K .$$

The AS consequent matrices are derived as follows:

(i) Calculate the aggregation  $\xi_{j,k}$  of weighted  $NICC_{j,k}^B$  and  $NICC_{j,k}^C$ , the division by two in Eq. (29) reflects the equal importance of each of the two subsystems by means of a weighted mean:

$$\xi_{j,k} = \frac{NICC_{j,k}^B \times \left( \frac{e}{e+f} \right) + NICC_{j,k}^C \times \left( \frac{f}{e+f} \right)}{2} \quad (29)$$

$$\text{for } j=1, \dots, m \text{ and } k=1, \dots, K .$$

(ii) Normalize the values of  $\xi_{j,k}$  to ensure they lie within [0,1], as calculated in Eq. (30):

$$N\xi_{j,k} = \frac{\xi_{j,k}}{\max_j \xi_{j,k}} \text{ for } j=1, \dots, m \text{ and} \quad (30)$$

$$k=1, \dots, K .$$

(iii) For  $N\xi_{j,k}$ , take linguistic terms from Table III for the alternatives levels. The translation of scalars to linguistic terms is done in the same way as in Eq. (22). Then the  $K$  for AS consequent matrices, in this case of size  $1 \times m$  rather than  $1 \times m \cdot m$ , are described in Eq. (31):

$$N_k = AL \begin{bmatrix} N\xi_{1,k} & N\xi_{2,k} & \cdots & N\xi_{m,k} \end{bmatrix} \quad (31)$$

$$\text{, for } k=1, \dots, K ,$$

where  $AL$  is the level of alternatives.

Therefore, the alternatives system is presented with  $K$  matrix decision rules, as constructed in Eq. (32):

$$\text{If } M_k = \begin{matrix} BL \\ CL \end{matrix} \begin{bmatrix} \lambda_{1,k} & \lambda_{1,k} & \cdots & \lambda_{m,k} \\ \psi_{1,k} & \psi_{2,k} & \cdots & \psi_{m,k} \end{bmatrix} \text{ then} \quad (32)$$

$$N_k = AL \begin{bmatrix} N\xi_{1,k} & N\xi_{2,k} & \cdots & N\xi_{m,k} \end{bmatrix} ,$$

$$\text{for } k=1, \dots, K ;$$

and can be described with the rule bases in Eq. (33):



Rule 1: If  $BL$  is  $\lambda_{1,k}$  and  $CL$  is  $\psi_{1,k}$  then  $AL$  is (33)

$$\begin{matrix} N_{\xi_{1,k}}^{\xi} & & \\ \vdots & & \\ \end{matrix}$$

Rule  $m$ : If  $BL$  is  $\lambda_{m,k}$  and  $CL$  is  $\psi_{m,k}$  then  $AL$  is

$$N_{\xi_{m,k}}^{\xi}, \text{ for } k=1, \dots, K;$$

where  $BL$  is the level of benefits,  $CL$  is the level of costs, and  $AL$  is the level of alternatives.

**Step 8:**

Construct the generalised Boolean matrix representing the overall system.

Having derived the rules for the three systems - BS, CS and AS – we can now translate these rules into Boolean matrix form. The generalised BS Boolean matrix for each alternative  $j$  is constructed in Eq. (34), based on the opinions of all  $K$  decision makers:

$$\begin{matrix} & \lambda_{j,1} & \dots & \lambda_{j,K} \\ x_{1j,1} \dots x_{ej,1} & 1 & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ x_{1j,K} \dots x_{ej,K} & 0 & \dots & 1 \end{matrix}, \text{ for } j=1, \dots, m \quad (34)$$

where the row and column labels of the Boolean matrix are all possible permutation for the BS rule base of the linguistics terms for the input (1-7) as in Tables I and II, and of the linguistic terms for the output (1-5) as in Table III.

The generalised CS Boolean matrix for each alternative  $j$  is constructed in Eq. (35) based on the opinions of all  $K$  decision makers:

$$\begin{matrix} & \psi_{j,1} & \dots & \psi_{j,K} \\ y_{1j,1} \dots y_{fj,1} & 1 & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ y_{1j,K} \dots y_{fj,K} & 0 & \dots & 1 \end{matrix}, \text{ for } j=1, \dots, m \quad (35)$$

where the row and column labels of the Boolean matrix are all possible permutation for the CS rule base of the linguistics terms for the input (1-7) as in Tables I and II, and of the linguistic terms for the output (1-5) as in Table III.

The vertical merging of the BS and CS generalised Boolean matrices will produce the generalised Boolean matrix constructed in Eq. (36):

$$\begin{matrix} & \lambda_{j,1} & \dots & \lambda_{j,K} \\ \psi_{j,1} & \dots & \dots & \psi_{j,K} \\ x_{1j,1} \dots x_{ej,1} & 1 & \dots & 0 \\ y_{1j,1} \dots y_{fj,1} & \vdots & \ddots & \vdots \\ \vdots & \vdots & \ddots & \vdots \\ x_{1j,K} \dots x_{ej,K} & 0 & \dots & 1 \\ y_{1j,K} \dots y_{fj,K} & & & \end{matrix}, \text{ for } j=1, \dots, m \quad (36)$$

Next, the AS generalised Boolean matrix for each alternative  $j$  is introduced in Eq. (37) based on the opinions of all  $K$  decision makers:

$$\begin{matrix} & N_{\xi_{j,1}}^{\xi} & \dots & N_{\xi_{j,K}}^{\xi} \\ \lambda_{j,1} & \psi_{j,1} & 1 & \dots & 0 \\ \vdots & \vdots & \ddots & \ddots & \vdots \\ \lambda_{j,K} & \psi_{j,K} & 0 & \dots & 1 \end{matrix}, \text{ for } j=1, \dots, m \quad (37)$$

Then, the resultant generalised Boolean matrix for the overall system for each alternative  $j$  is produced in Eq. (38) based on the opinions of all  $K$  decision makers:

$$\begin{matrix} & N_{\xi_{j,1}}^{\xi} & \dots & N_{\xi_{j,K}}^{\xi} \\ x_{1j,1} \dots x_{ej,1} & 1 & \dots & 0 \\ y_{1j,1} \dots y_{fj,1} & \vdots & \ddots & \vdots \\ \vdots & \vdots & \ddots & \vdots \\ x_{1j,K} \dots x_{ej,K} & 0 & \dots & 1 \\ y_{1m,k} \dots y_{fm,k} & & & \end{matrix}, \text{ for } j=1, \dots, m \quad (38)$$

**Step 9:**

Derive the rules for the alternatives based on the generalised Boolean matrix from Eq. (40), as shown below for  $j=1, \dots, m$ :

Rule 1: If  $B_1$  is  $x_{1j,1}$  and  $\dots$  and  $B_e$  is  $x_{ej,1}$  and  $C_1$  is  $y_{1j,1}$  and  $\dots$  and  $C_f$  is  $y_{fj,1}$

then  $AL$  is  $N_{\xi_{j,1}}^{\xi}$

$$\begin{matrix} \vdots & \vdots & \vdots \end{matrix}$$

Rule  $n_j$ : If  $B_1$  is  $x_{1j,K}$  and  $\dots$  and  $B_e$  is  $x_{ej,K}$  and  $C_1$  is

$y_{1j,K}$  and  $\dots$  and  $C_f$  is  $y_{fj,K}$

then  $AL$  is  $N_{\xi_{j,K}}^{\xi}$

**Step 10:**

Derive a final score for each alternative.

In order to produce a final score  $\Gamma_j$  for each alternative  $j$ , take the average aggregate membership value of the consequent part of the  $n_j$  rules in Eq. (38). Then multiply with the influence multiplier based on the KDMs average influence degree for alternative  $j$ . This is shown in Eq. (39):

$$\Gamma_j = \frac{\sum_{Rule=1}^n \sum_{k=1}^K N_{\xi_{j,k}}^{\xi} \cdot (NICC_{j,k}^B + NICC_{j,k}^C)}{n \cdot K} \quad (39)$$

for  $j=1, \dots, m$ .

Thus the ranking order of all alternatives can be determined: the better alternatives  $j$  have higher values of  $\Gamma_j$ . The alternatives we have developed the above ranking approach for are stock exchange traded equities. We have considered application to a developing financial market, and are currently extending the application to comparison of performance in developing and developed financial markets.

### B. Interval Type-2 Fuzzy Number Implementation

In this implementation of FN-TOPSIS, we use Interval Type-2 fuzzy number, as detailed in Table IV, Table V and Table VI, for rating of alternatives and weighting the importance of criteria. All linguistic terms are written in the form of trapezoidal Type-2-fuzzy numbers.

In terms of steps involved in the implementation of Type-2 fuzzy numbers in FN-TOPSIS, the concept of ranking trapezoidal interval Type-2 fuzzy numbers is relevant to step 3 prior to finding the distance of alternatives from positive ideal solutions and negative ideal solutions. The other steps are the same as type-1 fuzzy sets implementation discussed in subsection III (A).

#### Step 3:

Find the Fuzzy Positive Ideal Solution (FPIS) and Fuzzy Negative Ideal Solution (FNIS) for each alternative, and the distance between each alternative to FPIS and FNIS.

In order to construct the ranking weighted decision matrices, for  $j=1, \dots, m$  and  $k=1, \dots, m$ , we need to calculate the ranking value of each Interval Type-2 fuzzy numbers  $v_{ij,k}$ , i.e.  $Rank(v_{ij,k})$ . The maximum number  $n$  of edges in the upper membership function  $v_{ij,k}^U$  and the lower membership function  $v_{ij,k}^L$  are first defined, where  $i=1, \dots, e+f$  and  $j=1, \dots, m$ . If  $n$  is an odd number and  $n \geq 3$ , then  $r=n+1$ . If  $n$  is an even number and  $n \geq 4$ , then  $r=n$ . The  $Rank(v_{ij,k})$  of an Interval Type-2 fuzzy numbers is presented in Eq. (40):

$$Rank(v_{ij,k}) = \sum_{l \in \{U,L\}} M_1(v_{ij,k}^l) + \sum_{l \in \{U,L\}} M_2(v_{ij,k}^l) + \dots + \sum_{l \in \{U,L\}} M_{r-1}(v_{ij,k}^l) \quad (40)$$

$$- \frac{1}{r} \left( \sum_{l \in \{U,L\}} S_1(v_{ij,k}^l) + \sum_{l \in \{U,L\}} S_2(v_{ij,k}^l) + \dots + \sum_{l \in \{U,L\}} S_r(v_{ij,k}^l) \right) +$$

$$+ \sum_{l \in \{U,L\}} \mu_1(v_{ij,k}^l) + \sum_{l \in \{U,L\}} \mu_2(v_{ij,k}^l) + \dots + \sum_{l \in \{U,L\}} \mu_{r-2}(v_{ij,k}^l)$$

Here  $M_p(v_{ij,k}^l)$  denotes the average of the elements  $a_{ij,k,p}^{v,l}$  and  $a_{ij,k,(p+1)}^{v,l}$ , i.e.  $M_p(v_{ij,k}^l) = \frac{(a_{ij,k,p}^{v,l} + a_{ij,k,(p+1)}^{v,l})}{2}$ , for  $p=1, \dots, r-1$ . Also  $S_p(v_{ij,k}^l)$  denotes the standard deviation of elements  $a_{ij,k,1}^{v,l}, a_{ij,k,2}^{v,l}, \dots, a_{ij,k,p}^{v,l}$ , i.e.  $S_p(v_{ij,k}^l) = \sqrt{\frac{1}{p} \sum_{t=1}^p \left( a_{ij,k,t}^{v,l} - \frac{1}{p} \sum_{t=1}^p a_{ij,k,t}^{v,l} \right)^2}$ , for  $p=1, \dots, r$ . Finally,  $\mu_p(v_{ij,k}^l)$  denotes the membership value of the element  $a_{ij,k,(p+1)}^{v,l}$  for  $p=1, \dots, r-2$ , where  $l \in \{U, L\}$  and  $r$  is an even number.

The fuzzy positive ideal solution  $A_k^+ = (v_{1,k}^+, v_{2,k}^+, \dots, v_{(e+f),k}^+)$  and the fuzzy negative ideal solution  $A_k^- = (v_{1,k}^-, v_{2,k}^-, \dots, v_{(e+f),k}^-)$  are defined in Eq. (41):

$$A_k^+ = (v_{1,k}^+, v_{2,k}^+, \dots, v_{(e+f),k}^+) \text{ and} \quad (41)$$

$$A_k^- = (v_{1,k}^-, v_{2,k}^-, \dots, v_{(e+f),k}^-),$$

where

$$v_{i,k}^+ = \begin{cases} \max_{1 \leq j \leq e+f} \{Rank(v_{ij,k}^B)\}, & B_i \in B \\ \min_{1 \leq j \leq e+f} \{Rank(v_{ij,k}^C)\}, & C_i \in C \end{cases}$$

and

$$v_{i,k}^- = \begin{cases} \min_{1 \leq j \leq e+f} \{Rank(v_{ij,k}^B)\}, & B_i \in B \\ \max_{1 \leq j \leq e+f} \{Rank(v_{ij,k}^C)\}, & C_i \in C \end{cases}$$

Here,  $B$  denotes the set of benefit criteria,  $C$  denotes the set of cost criteria, and  $i=1, \dots, m$ . The distance  $\Delta_{j,k}^+$  between each alternative  $A_{j,k}$  and the fuzzy positive ideal solution  $A_k^+$  is calculated with Eq. (42):

$$\Delta_{j,k}^+ = \sqrt{\sum_{i=1}^{e+f} (Rank(v_{ij,k}) - v_{i,k}^+)^2} \quad (42)$$

for  $j=1, \dots, m$  and  $k=1, \dots, K$

The distance  $\Delta_{j,k}^-$  between each alternative  $A_{j,k}$  and the fuzzy negative ideal solution  $A_k^-$  is calculated with Eq. (43):

$$\Delta_{j,k}^- = \sqrt{\sum_{i=1}^{e+f} (Rank(v_{ij,k}) - v_{i,k}^-)^2} \text{ for } j=1, \dots, m \quad (43)$$

and  $k=1, \dots, K$

### C. Z-Number Implementation

For the Z-number implementation of TOPSIS-FN, the Table I, Table II and Table III from subsection III (A) are used, with an additional Table VII for the linguistic terms representing decision maker reliability.

Here, the reliability of experts is taken into consideration during the decision making process. The experts are advised to use the linguistic terms in Table VII to evaluate the confidence in their decision. Decision makers are not supposed to use negative weight to represent their opinion. Otherwise, this would imply the use of unreliable information which is undesirable. This applies at the start of step 1 of the algorithm described in Type-1 fuzzy number implementation of FN-TOPSIS. The other steps are the same as the implementation discussed in subsection III (A).

#### Step 1:

Use the information from Table VII to derive the second component  $B$  of the Z-number, and then convert the Z-number to Type-1 fuzzy number.

Let  $Z = (\tilde{A}, \tilde{B})$  is a Z-number, where  $\{\tilde{A} = (x, \mu_{\tilde{A}}) \mid x \in [0,1]\}$ ,  $\{\tilde{B} = (x, \mu_{\tilde{B}}) \mid x \in [0,1]\}$ , and  $\mu_{\tilde{A}}$  and  $\mu_{\tilde{B}}$  are trapezoidal membership functions. The second part (reliability) needs to convert into a crisp number using fuzzy expectation, as shown in Eq. (44):

$$\alpha = \frac{\int x \mu_{\tilde{Z}} dx}{\int \mu_{\tilde{Z}} dx} \quad (44)$$

Where  $\int$  denotes an algebraic integration. Then add the weight of the second part (reliability) to the first part (restriction). Weighted Z-numbers can be denoted as:

$$\tilde{Z}^\alpha = \left\{ \left( x, \mu_{\tilde{Z}^\alpha} \right) \mid \mu_{\tilde{Z}^\alpha}(x) = \alpha \mu_{\tilde{Z}}(x), x \in [0,1] \right\}$$

These can be represented with Type-1 fuzzy numbers as:

$$\tilde{Z}' = \left\{ \left( x, \mu_{\tilde{Z}'}(x) \right) \mid \mu_{\tilde{Z}'}(x) = \mu_{\tilde{Z}}\left(\frac{x}{\alpha}\right), x \in [0,1] \right\}$$

It is proven in [33] that  $\tilde{Z}'$  has the same Fuzzy Expectation as  $\tilde{Z}^\alpha$ . The remaining steps of the algorithm are the same as for the Type-1 fuzzy sets implementation. The next section is illustrating systematically the application of Type-1 fuzzy sets the proposed FN-TOPSIS method to solve the problem of selection/ranking of traded equity.

#### IV. RANKING OF TRADED EQUITY

We study the problem of ranking traded equity in developing financial markets within a crisis period, in order to illustrate the applicability and validity of the proposed FN methodology in a realistic scenario. Decision makers with different levels of experience evaluate 25 equities listed on the Main Board of the Kuala Lumpur Stock Exchange (KLSE) on 30 November 2007. A set of financial ratios for the equities are considered towards the benefits and cost criteria in the FN-TOPSIS algorithm. These include: Market Value of Firm (B1), defined as market value of firm-to-earnings before amortization, interest and taxes. This is one of the critical financial indicators, and the lower the ratio the better the equity [46]; Return on Equity (B2), which evaluates how much the company earns on the investment of its shareholders. ROE is measured as net income divided by stockholder funds. Portfolio managers examine ROE when deciding whether to trade (buy or sell) equities. The higher values of the ratio indicate healthier companies. Debt-to-Equity ratio (C1), belonging to long-term solvency ratios that are intended to address the firm's long run ability to meet its obligations. It is considered by DMs that the lower the ratio the better [47]. Current Ratio (B3), which measures liquidity of companies, and explains the ability of a business to meet its current obligations when fall due. The higher the ratio, the more liquid is the company, and therefore in a better position. [48]. Market Value-to-Net Sales (B4), is market value ratios of particular interest to investors. The lower the ratio the better the equity [49]. The lower this ratio is better the equity. Price/earnings ratio (C2), measure the ratio of market price of each share of common stock to the earnings per share, the lower this ratio is better.

In this study, the processes of ranking equities follow the proposed methods in section III. Fig. 4 illustrates the fuzzy network model for the problem of selection/ranking of traded equity and includes 4 benefit criteria and 2 cost criteria.

#### Step 1:

Based on the information provided by experts and using Eq. (11), the decision matrices for the benefit and cost systems can be constructed. The rating of each criterion for each equity and the importance of criteria are based on decision makers' opinions.

#### Step 2:

Considering the benefit system, the normalized decision matrix  $R_k^B$  and the weight normalized decision matrix  $V_k^B$  can be constructed for each  $k$ , using equations Eq. (12) correspondingly.

For example, the calculations for E1 using the opinion of DM1 is as follows:

$$g_{1,1} = (0.9, 1, 1, 1), x_{11,1} = (9, 10, 10, 10), d_{1,1}^{x^*} = 10$$

$$r_{11,1}^B = (9/10, 10/10, 10/10, 10/10) = (0.9, 1, 1, 1)$$

$$v_{11,1}^B = (0.9 \times 0.9, 1 \times 1, 1 \times 1, 1 \times 1) = (0.81, 1, 1, 1)$$

This step is repeated then for the cost system, in order to calculate the normalized decision matrix  $R_k^C$  and the weight normalized decision matrix  $V_k^C$ .

#### Step 3:

The Fuzzy Positive Ideal Solution (FPIS) and the Fuzzy Negative Ideal Solution (FNIS) for each equity based on both systems, and the distances between the rating of criteria for each equity and the FPIS and FNIS, can be evaluated as follows.

FPIS and FNIS are determined as:

$$A_k^+ = \left[ (1,1,1,1)_{1,k}, (1,1,1,1)_{2,k}, \dots, (1,1,1,1)_{25,k} \right]$$

$$A_k^- = \left[ (0,0,0,0)_{1,k}, (0,0,0,0)_{2,k}, \dots, (0,0,0,0)_{25,k} \right]$$

The distances  $\Delta_{j,k}^{B+}$  and  $\Delta_{j,k}^{B-}$ , between the rating according to DM  $k$  of benefit criteria  $i = 1, \dots, 4$  for each equity  $j (j = 1, \dots, 25)$  and the FPIS  $A_k^+$  or FNIS  $A_k^-$  are calculated using Eq. (13) and Eq. (14). For example, the distance between the first equity E1 according to DM1 and the FPIS  $A_1^+$  is calculated using Eq. (13) for  $j = 1$  and  $k = 1$ , as follows:

$$\Delta_1^{B+}(v_{11,1}, v_{1,1}^+) = \sqrt{\frac{1}{3} \left[ (0.81 - 1)^2 + \dots + (1 - 1)^2 \right]} = 0.11$$

And similarly:

$$\Delta_1^{B+}(v_{21,1}, v_{2,1}^+) = 0.409; \Delta_1^{B+}(v_{31,1}, v_{3,1}^+) = 0.668$$

$$\Delta_1^{B+}(v_{41,1}, v_{4,1}^+) = 0.298; \text{ to produce overall:}$$

$$\Delta_1^{B+} = \sum_{i=1}^4 \Delta_1^{B+}(v_{i,1}, v_{i,1}^+) = 0.11 + 0.409 + 0.668 + 0.298 = 1.4841$$

Next, using Eq. (14) for  $j = 1$  and  $k = 1$ , the distance between E1 according to DM1 and the FPIS  $A_1^-$  is calculated as:

$$\Delta_1^{B-}(v_{11,1}, v_{1,1}^-) = \sqrt{\frac{1}{3} \left[ (0.81 - 0)^2 + \dots + (1 - 0)^2 \right]} = 1.373 \text{ and similarly}$$

$$\Delta_2^{B-}(v_{2,1,1}, v_{2,1}^-) = 1.063; \Delta_3^{B-}(v_{3,1,1}, v_{3,1}^-) = 0.789;$$

$$\Delta_4^{B-}(v_{4,1,1}, v_{4,1}^-) = 1.242 \text{ producing overall:}$$

$$\Delta_{1,1}^{B-} = \sum_{i=1}^4 \Delta_1^{B-}(v_{i,1,1}, v_{i,1}^-) = 1.373 + 1.063 + 0.789 + 1.242 = 4.4671$$

Now, the distances  $\Delta_{j,k}^{C+}$  and  $\Delta_{j,k}^{C-}$ , between the rating according to DM k of cost criteria  $i = 1, \dots, 2$  for each equity j ( $j = 1, \dots, 25$ ) and the FPIS  $A_k^+$  or FNIS  $A_k^-$  are calculated using Eq. (15) and Eq. (16). For example, the distance between the first equity E1 according to DM1 and the FPIS  $A_1^+$  is calculated using Eq. (15) for  $j=1$  and  $k=1$ , as follows:

$$\Delta_1^{C+}(v_{1,1,1}, v_{1,1}^+) = \sqrt{\frac{1}{3}[(0.39-1)^2 + \dots + (0.85-1)^2]} = 0.49$$

And similarly:

$$\Delta_k^{C+}(v_{ij,k}, v_{i,k}^+) = \Delta_1^{C+}(v_{2,1,1}, v_{2,1}^+) = 1.12$$

to produce overall:

$$\Delta_{1,1}^{C+} = \sum_{i=1}^2 \Delta_1^{C+}(v_{i,1,1}, v_{i,1}^+) = 0.49 + 1.12 = 1.61$$

Next, using Eq. (16) for  $j=1$  and  $k=1$ , the distance between E1 according to DM1 and the FPIS  $A_1^-$  is calculated as:

$$= \Delta_1^{C-}(v_{1,1,1}, v_{1,1}^-) = \sqrt{\frac{1}{3}[(0.39-0)^2 + \dots + (0.85-0)^2]} = 1.017$$

and similarly

$$\Delta_k^{C-}(v_{ij,k}, v_{i,k}^-) = \Delta_1^{C-}(v_{2,1,1}, v_{2,1}^-) = 0.339$$

producing overall:

$$\Delta_{1,1}^{C-} = \sum_{i=1}^2 \Delta_1^{C-}(v_{i,1,1}, v_{i,1}^-) = 1.017 + 0.339 = 1.358$$

**Step 4:**

Find the closeness coefficients for the benefit system  $CC_{j,k}^B$  and for the cost system  $CC_{j,k}^C$ , using Eq. (17) for each equity E<sub>j</sub>,  $j = 1, \dots, 25$ . For example, the closeness coefficient for E1 in the benefit system under the first decision maker  $k=1$  is calculated using Eq. (19) as follows:

$$CC_{1,1}^B = \frac{\Delta_{1,1}^{B-}}{\Delta_{1,1}^{B+} + \Delta_{1,1}^{B-}} = \frac{4.4671}{1.4841 + 4.4671} = 0.751$$

and the closeness coefficient in the cost system

$$CC_{1,1}^C = \frac{\Delta_{1,1}^{C-}}{\Delta_{1,1}^{C+} + \Delta_{1,1}^{C-}} = \frac{1.358}{1.61 + 1.358} = 0.457$$

**Step 5:**

The Influenced Closeness Coefficients  $ICC_{j,k}^B$  and  $ICC_{j,k}^C$  for each DM k are derived by applying the influence degree  $\theta_k$  of each decision maker, Using Eq. (18) and Eq. (19). Then the

normalized coefficients  $NICC_{j,k}^B$  and  $NICC_{j,k}^C$  are calculated with Eq. (20).

For example, the influence degree of DM1 is  $\theta_1 = 8$ , and using Eq. (18) his normalised expertise is:

$$\sigma_1 = \frac{\theta_1}{\sum_{i=1}^3 \theta_i} = \frac{8}{8+10+7} = 0.32$$

Then the Influenced Closeness Coefficient  $ICC_{1,1}^B$  for the benefit system for equity E1 according to DM1 is calculated with Eq. (19) as:

$$ICC_{1,1}^B = \sigma_1 * CC_{1,1}^B = 0.32 * 0.751 = 0.2403$$

and similarly the corresponding Influenced Closeness Coefficient for the cost system  $ICC_{1,1}^C$  is produce as:

$$ICC_{1,1}^C = \sigma_1 * CC_{1,1}^C = 0.32 * 0.457 = 0.1462$$

Next, the influenced closeness coefficients have to be normalized prior to matching the coefficients to the linguistic variable in Table III. Using Eq. (20),  $NICC_{1,1}^B$  and  $NICC_{1,1}^C$  are calculated as:

$$NICC_{1,1}^B = \frac{ICC_{1,1}^B}{\max_j ICC_{j,k}^B} = \frac{0.2403}{0.2403} \text{ and } NICC_{1,1}^C = \frac{ICC_{1,1}^C}{\max_j ICC_{j,k}^C} = \frac{0.1462}{0.1659}$$

Finally, the normalised coefficients are matched to the variable in Table III:

$$NICC_{1,1}^B = 1 \cong VG; \quad NICC_{1,1}^C = 0.8812 \cong VG$$

**Step 6:**

The antecedent matrices  $X_k$  for the benefit system are constructed using Eq. (21) for  $k = 1, \dots, K$ , based on DM k opinions. Each decision maker has a separate benefit antecedent matrix. The consequent matrices  $\Lambda_k$  for the benefit system are constructed using Eq. (22) for  $k = 1, \dots, K$ , based on the values of  $NICC_{j,k}^B$  calculated at Step 5 above and matched to the linguistic terms in Table III. Each decision maker has a separate benefit antecedent matrix. Similarly, the antecedent matrices  $Y_k$  and the consequent matrices  $\Psi_k$  are produced for the cost system. Thus the antecedent and consequent matrices for the benefit and cost rule bases are generated in this step. For example using Eq. (21), and according to the first decision maker  $k=1$ , the antecedent matrix  $X_1$  for the benefit system is:

$$X_1 = \begin{matrix} & E_1 & E_2 & \dots & E_{25} & & E_1 & E_2 & \dots & E_{25} \\ \begin{matrix} B_1 \\ B_2 \\ B_3 \\ B_4 \end{matrix} & \begin{bmatrix} x_{1,1,1} & x_{1,2,1} & \dots & x_{1,25,1} \\ x_{2,1,1} & x_{2,2,1} & \dots & x_{2,25,1} \\ x_{3,1,1} & x_{3,2,1} & \dots & x_{3,25,1} \\ x_{4,1,1} & x_{4,2,1} & \dots & x_{4,25,1} \end{bmatrix} & = & \begin{matrix} B_1 \\ B_2 \\ B_3 \\ B_4 \end{matrix} & \begin{bmatrix} VG & MG & \dots & MG \\ VG & VG & \dots & F \\ VG & M & \dots & MP \\ G & G & \dots & G \end{bmatrix} \end{matrix}$$

where  $B_i$  are the four benefit criteria. Then using Eq. (22), the consequent matrix  $\Lambda_1$  is:

$$\Lambda_1 = BL \begin{bmatrix} \lambda_{1,1} & \lambda_{2,1} & \dots & \lambda_{25,1} \end{bmatrix} = BL \begin{bmatrix} VG & VG & \dots & G \end{bmatrix}$$

where  $BL$  is the benefit level.

Next using Eq. (22), and according to the first decision maker  $k=1$ , the antecedent matrix  $Y_1$  for the cost system is:

$$Y_1 = \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ C_1 \begin{bmatrix} y_{1,1,1} & y_{1,2,1} & \cdots & y_{1,25,1} \end{bmatrix} \\ C_2 \begin{bmatrix} y_{2,1,1} & y_{2,2,1} & \cdots & y_{2,25,1} \end{bmatrix} \end{matrix} = \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ C_1 \begin{bmatrix} G & F & \cdots & F \end{bmatrix} \\ C_2 \begin{bmatrix} F & G & \cdots & G \end{bmatrix} \end{matrix}$$

Then using Eq. (22), the consequent matrix  $\Psi_1$  is:

$$\Psi_1 = CL \begin{bmatrix} \psi_{1,1} & \psi_{2,1} & \cdots & \psi_{25,1} \end{bmatrix} = CL \begin{bmatrix} VG & G & \cdots & G \end{bmatrix}$$

where  $CL$  is the cost level.

The rule base of the benefit system for DM1 is constructed using Eq. (23) and Eq. (24), as follows:

$$\text{If } \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ B_1 \begin{bmatrix} VG & MG & \cdots & MG \end{bmatrix} \\ B_2 \begin{bmatrix} VG & VG & \cdots & F \end{bmatrix} \\ B_3 \begin{bmatrix} VG & M & \cdots & MP \end{bmatrix} \\ B_4 \begin{bmatrix} G & G & \cdots & G \end{bmatrix} \end{matrix} \text{ Then } \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ \Lambda_1 = BL \begin{bmatrix} VG & VG & \cdots & G \end{bmatrix} \end{matrix}$$

Rule 1: If  $B_1$  is  $VG$  and  $B_2$  is  $VG$  and  $B_3$  is  $VG$  and  $B_4$  is  $G$  then the output  $BL$  is  $VG$

Rule 2: If  $B_1$  is  $MG$  and  $B_2$  is  $VG$  and  $B_3$  is  $M$  and  $B_4$  is  $G$  then the output  $BL$  is  $VG$

⋮

Rule 25: If  $B_1$  is  $MG$  and  $B_2$  is  $F$  and  $B_3$  is  $MP$  and  $B_4$  is  $G$  then the output  $BL$  is  $G$

By analogy, the rule base for the cost system is constructed.

**Step 7:**

The Alternatives System (AS) in this application is the Equity System (ES), and the antecedent matrices  $M_k$  of each DM  $k$  for ES are constructed using Eq. (28) based on the Benefit Level (BL) and Cost Level (CL), which are the outputs of the benefit system BS and cost system CS, respectively. Each decision maker has a separate equity antecedent matrix  $M_k$ . Next, the ES consequent matrices  $N_k$  are derived using Eq. (29)-(31), while calculating the aggregations  $\xi_{j,k}$  of weighted coefficients  $NICC_{j,k}^B$  and  $NICC_{j,k}^C$  for each equity  $j(j=1, \dots, 25)$ , then producing the normalised aggregations  $N\xi_{j,k}$ , and constructing the ES consequent matrices  $N_k$  based on  $N\xi_{j,k}$ . Each decision maker  $k$  has a separate equity consequent matrix  $N_k$ .

For example, based on the benefit and cost levels BL and CL evaluated in Step 6 above and using Eq. (27), the ES antecedent matrix  $M_1$  according to DM1 is evaluated as:

$$M_1 = \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ BL \begin{bmatrix} \lambda_{1,1} & \lambda_{2,1} & \cdots & \lambda_{25,1} \end{bmatrix} \\ CL \begin{bmatrix} \psi_{1,1} & \psi_{2,1} & \cdots & \psi_{25,1} \end{bmatrix} \end{matrix} = \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ BL \begin{bmatrix} VG & VG & \cdots & G \end{bmatrix} \\ CL \begin{bmatrix} VG & G & \cdots & G \end{bmatrix} \end{matrix}$$

Next, the ES consequent matrix  $N_1$  according to DM1 is derived through:

(i) calculating the aggregated closeness coefficient  $\xi_{j,1}$  for each equity  $j=1, \dots, 25$ , with Eq. (28) and based on the normalised closeness coefficients  $NICC_{j,1}^B$  and  $NICC_{j,1}^C$  according to DM1; e.g. for  $j=1$ :

$$\xi_{1,1} = \frac{NICC_{1,1}^B \times \left(\frac{4}{4+2}\right) + NICC_{1,1}^C \times \left(\frac{2}{4+2}\right)}{2} = \frac{1.00 \times \left(\frac{2}{3}\right) + 0.8812 \times \left(\frac{1}{3}\right)}{2} = 0.480$$

(ii) calculating the normalised aggregated closeness coefficients  $N\xi_{j,1}$  for each equity  $j=1, \dots, 25$ , with Eq. (29) and based on the values  $\xi_{j,1}$  produced in Step 7(i) above; e.g. for  $j=1$ :

$$N\xi_{1,1} = \frac{\xi_{1,1}}{\max_j \xi_{j,1}} = \frac{0.48}{0.50} = 0.96$$

and the value of  $N\xi_{1,1}$  is matched to the linguistic variable for equity levels in Table III:

$$N\xi_{1,1} = 0.960 \equiv VG$$

(iii) The ES consequent matrix  $N_1$  for DM1 is constructed using Eq. (30) and based on the values  $N\xi_{j,1}$  for each equity  $j$  produced in Step 7(ii) above; e.g. for  $j=1$ :

$$N_1 = EL \begin{bmatrix} N\xi_{1,1} & N\xi_{2,1} & \cdots & N\xi_{25,1} \end{bmatrix} = \begin{bmatrix} VG & VG & \cdots & G \end{bmatrix}$$

Where  $EL$  is the equity level.

Therefore, the equity system rule base according to DM1 is evaluated using Eq. (25) and Eq. (26) as:

$$\text{If } \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ BL \begin{bmatrix} VG & VG & \cdots & G \end{bmatrix} \\ CL \begin{bmatrix} VG & G & \cdots & G \end{bmatrix} \end{matrix} \text{ Then } \begin{matrix} E_1 & E_2 & \cdots & E_{25} \\ N_1 = EL \begin{bmatrix} VG & VG & \cdots & G \end{bmatrix} \end{matrix}$$

Rule 1: If  $BL$  is  $VG$  and  $CL$  is  $VG$  then  $EL$  is  $VG$

Rule 2: If  $BL$  is  $VG$  and  $CL$  is  $VG$  then  $EL$  is  $VG$

⋮

Rule 25: If  $BL$  is  $G$  and  $CL$  is  $G$  then  $EL$  is  $G$

**Step 8:**

Having list of rules for 3 systems – BS, CS, ES – we now present these rules in Boolean matrix form. The Boolean matrices for each equity are constructed based on the opinions from all DMs. For example using Eq. (33), the Boolean matrix of the benefit system for E1 is produced in Eq. (45). The row and column labels of the Boolean matrix are all possible permutations of linguistics variable for the input (1-7) as in Table I and the linguistic variable for the output (1-5) as in Table III, for the benefit rule base.

$$\begin{matrix} & 1 & 2 & 3 & 4 & 5 \\ 1111 & 0 & 0 & 0 & 0 & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \\ 6576 & 0 & 0 & 0 & 0 & 1 \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \end{matrix} \quad (45)$$

7655	0	0	0	0	1
⋮	⋮	⋮	⋮	⋮	⋮
7776	0	0	0	0	1
7777	0	0	0	0	0

Next using Eq. (34), the Boolean matrix of the cost system for E1 is defined in Eq. (46):

	1	2	3	4	5	(46)
11	0	0	0	0	0	
⋮	⋮	⋮	⋮	⋮	⋮	
44	0	0	0	1	0	
⋮	⋮	⋮	⋮	⋮	⋮	
64	0	0	0		1	
⋮	⋮	⋮	⋮	⋮	⋮	
76	0	0	0	0	0	
77	0	0	0	0	0	

**Step 9:**

Vertical merging is performed to merge the BS and CS Boolean matrices for each equity, then horizontal merging performed to merge the Boolean matrix obtain from the vertical merging operation with the ES Boolean matrix for each equity. For example, applying vertical merging of the BS and CS Boolean matrices for E1, the resultant Boolean matrix is constructed in Eq. (47), as follows:

	11	...	...	54	55	(47)
1111/11	0	...	...	0	0	
⋮	⋮	⋮	⋮	⋮	⋮	
6576/44	0	...	...	1	0	
6576/64	0	...	...	0	1	
⋮	⋮	⋮	⋮	⋮	⋮	
7655/44	0	...	...	1	0	
7655/64	0	...	...	0	1	
⋮	⋮	⋮	⋮	⋮	⋮	
7776/44	0	...	...	1	0	
7776/64	0	...	...	0	1	
⋮	⋮	⋮	⋮	⋮	⋮	
7777/77	0	...	...	0	0	

The equity system ES Boolean matrix for E1 is evaluated in Eq. (48) as:

	1	2	3	4	5	(48)
11	0	0	0	0	0	
⋮	⋮	⋮	⋮	⋮	⋮	
33	0	0	0	0	0	
⋮	⋮	⋮	⋮	⋮	⋮	
44	0		0	0	0	
⋮	⋮	⋮	⋮	⋮	⋮	
54	0	0	0	0	1	
55	0	0	0	0	1	

Next, the resultant Boolean matrix for the overall system is produced as shown in Eq. (49), through horizontal merging between the Boolean matrices in Eq. (47) and Eq. (48):

	1	2	3	4	5	(49)
1111/11	0	0	0	0	0	

⋮	⋮	⋮	⋮	⋮	⋮	
6576/44	0	0	0	0	1	
6576/64	0	0	0	0	1	
⋮	⋮	⋮	⋮	⋮	⋮	
7655/44	0	0	0	0	1	
7655/64	0	0	0	0	1	
⋮	⋮	⋮	⋮	⋮	⋮	
7776/44	0	0	0	0	1	
7776/64	0	0	0	0	1	
7777/77	0	0	0	0	0	

where only the rows containing 1 are shown, along with the first and last rows.

From the Boolean matrix in Eq. (49), the rule basis for equity E1 are derived, as described in Eq. (50):

Rule 1: 6576/44/5	6	5	7	6	4	4	5	(50)
Rule 2: 6576/64/5	6	5	7	6	6	4	5	
Rule 3: 7655/44/5	7	6	5	5	4	4	5	
Rule 4: 7655/64/5	7	6	5	5	6	4	5	
Rule 5: 7776/44/5	7	7	7	6	4	4	5	
Rule 6: 7776/64/5	7	7	7	6	6	4	5	

The rules in Eq. (50) with 6 inputs and 1 output can be represented in linguistic terms, as in Eq. (51)

Rule 1: If B1 is G, and B2 is MG and B3 is VG and B4 is G and C1 is F and C2 is F then E1 is VG	(51)
Rule 2: If B1 is G, and B2 is MG and B3 is VG and B4 is G and C1 is G and C2 is F then E1 is VG	
Rule 3: If B1 is VG, and B2 is G and B3 is MG and B4 is MG and C1 is F and C2 is F then E1 is VG	
Rule 4: If B1 is VG, and B2 is G and B3 is MG and B4 is MG and C1 is G and C2 is F then E1 is VG	
Rule 5: If B1 is VG, and B2 is VG and B3 is VG and B4 is G and C1 is F and C2 is F then E1 is VG	
Rule 6: If B1 is VG, and B2 is VG and B3 is VG and B4 is G and C1 is G and C2 is F then E1 is VG	

**Step 10:**

The final score for each alternative  $j=1, \dots, 25$  is derived with Eq. (39), by taking average of the aggregate membership value of the consequent part of all active rules in the overall system for equity  $j$ , and then multiplying with the influence multiplier based on the average influence degree across all  $K$  decision makers DMs for each equity  $j$ .

For example, there are 6 active rules for E1 generated from the Boolean matrix operation. Eq. (39) is used in order to obtain final score for E1, the average aggregate membership value for the output of the 6 rules is calculated, and then multiplied with the influence multiplier for E1 across all DMs.

$$\begin{aligned}
 &= \Gamma_1 = \frac{\sum_{Rule=1}^6 \sum_{k=1}^3 N_{1,k}^Z \cdot (NICC_{j,k}^B + NICC_{j,k}^C)}{6 \cdot 3} \\
 &= \frac{0.9(0.94) + 0.9(0.79) + 0.9(0.91)}{18} + \frac{0.9(0.94) + 0.9(0.79) + 0.9(0.91)}{18} \\
 &\quad + \frac{0.9(0.94) + 0.9(0.79) + 0.9(0.91)}{18} + \frac{0.9(0.94) + 0.9(0.79) + 0.9(0.91)}{18} \\
 &\quad + \frac{0.9(0.94) + 0.9(0.79) + 0.9(0.91)}{18} + \frac{0.9(0.94) + 0.9(0.79) + 0.9(0.91)}{18} \\
 &= 0.79
 \end{aligned}$$

The final score and ranking positions for all 25 equities considered in this case study, and based on Type-1, Type 2 and Z fuzzy numbers implementation of the proposed FN-TOPSIS method are provided in Table VIII.

### V. ANALYSIS OF RESULTS

For the validation of the proposed rule-based FN-TOPSIS, the authors consider established TOPSIS methods, as the non-fuzzy TOPSIS[13] and the non-rule based fuzzy TOPSIS approaches-T1-TOPSIS [15],T2-TOPSIS[18], Z-TOPSIS[34]. All these methods are applied to evaluate the score and final ranking of the equities from the case study in Section V, and compared with the performance of FN-TOPSIS. The actual monthly equity returns in November 2007, based on trading the shares of the 25 companies on the Kuala Lumpur Stock Exchange and holding for a month, are used for benchmarking. The rankings are compared using the Spearman rho correlation coefficient  $\rho$ , where  $\rho$  measures the strength of association between two ranked variables. This comparison approach is intuitively interpretable, and less sensitive to bias due to the effect of outliers [50].The Spearman’s Rank coefficient is evaluated as shown in Eq. (52).

$$\rho = 1 - \frac{6 \sum \partial_i^2}{n^3 - n}, \tag{52}$$

where  $\partial_i$  represents the difference between the ranks, and  $n$  is the number of considered alternatives.

The coefficient  $\rho$  takes values between +1 to -1. Perfect positive relationship of ranks is indicated with  $\rho=1$ , and  $\rho=-1$  indicates perfect negative association of ranks, while  $\rho=0$  shows no relationship.

Considering the criteria set used i.e. B1, B2, B3, B4, C1 and C2 of traded equity described in section IV, the three proposed Fuzzy Network TOPSIS methods (PM) outperform the four established TOPSIS methods (EM), as shown in the last row of Table X.

### VI. CONCLUSIONS

This paper introduces a novel TOPSIS method – FN-TOPSIS – extending the capabilities of rule-based fuzzy networks within multi-criteria decision-making analysis. FN-TOPSIS uses Type-1, Type-2 and Z-fuzzy numbers, and incorporates experts’ knowledge into decision analysis as well as experts’ degree of experience and influence. At the same time, the approach improves transparency of decision analysis;

particularly in the TOPSIS process, by explicitly taking into account all subsystems and interactions among them. FN-TOPSIS not only provides an effective way to process imperfect information in decision-making practice in a more flexible and intelligent manner, but also presents expert knowledge more accurately. The performance of the proposed method is validated using a benchmark, and comparing against a set of competitive approaches. The results show that the proposed method outperforms the existing non-rule based TOPSIS methods in terms of ranking performance. We have successfully applied FN-TOPSIS to the problem of ranking equities traded in a developing financial market during a crisis period. This work continues research on hybrid approaches and implementing fuzzy set theory in equity ranking and investment decisions, in a developed market (UK) during a pre-crisis period [51]–[54].The next objective is to implement and analyse the performance of the approach within developing and developed financial markets during a post-crisis period.

### REFERENCES

- [1] Abdollah Hadi-Vencheh and Mahdi Mirjafari, “Seclusion-Factor Method to Solve Fuzzy-Multiple Criteria Decision-Making Problems,” *IEEE Trans. Fuzzy Syst.*, vol. 19, no. 2, 2011.
- [2] Thanh T. Nguyen, L. Gordon-Brown, A. Khosravi, D. Creighton, and Saeid Nahavandi, “Fuzzy Portfolio Allocation Models Through a New Risk Measure and Fuzzy Sharpe Ratio,” *IEEE Trans. Fuzzy Syst.*, vol. 23, no. 3, 2015.
- [3] A. Kelemenis, K. Ergazakis, and D. Askounis, “Support managers’ selection using an extension of fuzzy TOPSIS,” *Expert Syst. Appl.*, vol. 38, no. 3, pp. 2774–2782, Mar. 2011.
- [4] A. Awasthi, S. S. Chauhan, and H. Omrani, “Application of fuzzy TOPSIS in evaluating sustainable transportation systems,” *Expert Syst. Appl.*, vol. 38, no. 10, pp. 12270–12280, Sep. 2011.
- [5] H. Shidpour, M. Shahroki, and A. Bernard, “A multi-objective programming approach, integrated into the TOPSIS method, in order to optimize product design; in three-dimensional concurrent engineering,” *Comput. Ind. Eng.*, vol. 64, no. 4, pp. 875–885, Apr. 2013.
- [6] Y. T. İç, “An experimental design approach using TOPSIS method for the selection of computer-integrated manufacturing technologies,” *Robot. Comput. Integr. Manuf.*, vol. 28, no. 2, pp. 245–256, Apr. 2012.
- [7] A. Pires, N.-B. Chang, and G. Martinho, “An AHP-based fuzzy interval TOPSIS assessment for sustainable expansion of the solid waste management system in Setúbal Peninsula, Portugal,” *Resour. Conserv. Recycl.*, vol. 56, no. 1, pp. 7–21, Nov. 2011.
- [8] M. Saremi, S. F. Mousavi, and A. Sanayei, “TQM consultant selection in SMEs with TOPSIS under fuzzy environment,” *Expert Syst. Appl.*, vol. 36, no. 2, pp. 2742–2749, Mar. 2009.
- [9] M. Dağdeviren, S. Yavuz, and N. Kılınc, “Weapon selection using the AHP and TOPSIS methods under fuzzy environment,” *Expert Syst. Appl.*, vol. 36, no. 4, pp. 8143–8151, May 2009.
- [10] D. Mohamad and R. M. Jamil, “A Preference Analysis Model for Selecting Tourist Destinations based on Motivational Factors: A Case Study in Kedah, Malaysia,” *Procedia - Soc. Behav. Sci.*, vol. 65, pp. 20–25, Dec. 2012.
- [11] E. Ansarifar, F. Shahidi, M. Mohebbi, S. M. Razavi, and J. Ansarifar, “A new technique to evaluate the effect of chitosan on properties of deep-fried Kurdish cheese nuggets by TOPSIS,” *LWT - Food Sci. Technol.*, vol. 62, no. 2, pp. 1211–1219, Jul. 2015.
- [12] S.-Y. Chou, Y.-H. Chang, and C.-Y. Shen, “A fuzzy simple additive weighting system under group decision-making for facility location selection with objective/subjective attributes,” *Eur. J. Oper. Res.*, vol. 189, no. 1, pp. 132–145, Aug. 2008.
- [13] K. Hwang, C.L.Yoon, *Multiple Attribute Decision Making: Methods and Applications*. New York: Springer-Verlag, 1981.
- [14] J.-W. Wang, C.-H. Cheng, and K.-C. Huang, “Fuzzy hierarchical TOPSIS for supplier selection,” *Appl. Soft Comput.*, vol. 9, pp. 377–

386, 2009.

[15] C.-T. Chen, "Extensions of the TOPSIS for group decision-making under fuzzy environment," *Fuzzy Sets Syst.*, vol. 114, no. 1, pp. 1–9, Aug. 2000.

[16] T.-Y. Chen, "A linear assignment method for multiple-criteria decision analysis with interval type-2 fuzzy sets," *Appl. Soft Comput.*, no. 9, pp. 2735–2748, 2013.

[17] A. A. Bazzazi, M. Osanloo, and B. Karimi, "Deriving preference order of open pit mines equipment through MADM methods: Application of modified VIKOR method," *Expert Syst. Appl.*, no. 38, pp. 2550–2556, 2011.

[18] S.-M. Chen and L.-W. Lee, "Fuzzy multiple attributes group decision-making based on the interval type-2 TOPSIS method," *Expert Syst. Appl.*, vol. 37, no. 4, pp. 2790–2798, Apr. 2010.

[19] J. M. Mendel, R. I. John, and F. L. Liu, "Interval type 2 fuzzy logical system made simple," *IEEE Trans. Fuzzy Syst.*, vol. 6, no. 14, pp. 808–821, 2006.

[20] L. A. Zadeh, "The Concept of a Linguistic Variable and its Application to Approximate Reasoning," *Inf. Sci. (Ny)*, vol. 1, no. 8, 1975.

[21] J. M. Mendel, *Uncertain rule-based fuzzy logic systems: Introduction and new directions*. Upper Saddle River NJ: Prentice-Hall, 2001.

[22] M. H. Fazel Zarandi, I. B. Turksen, and O. Torabi Kasbi, "Type-2 fuzzy modeling for desulphurization of steel process," *Expert Syst. Appl.*, no. 32, pp. 157–171, 2007.

[23] L. A. Zadeh, "Fuzzy sets," *J. Inf. Control*, no. 8, pp. 338–353, 1965.

[24] J. Mendel and Q. Liang, "Equalization of nonlinear time-varying channels using type-2 fuzzy adaptive filters," *IEEE Trans. Fuzzy Syst.*, vol. 5, no. 8, pp. 551–563, 2000.

[25] J. Hu, Y. Zhang, X. Chen, and Y. Liu, "Multi-criteria decision making method based on possibility degree of interval type-2 fuzzy number," *Knowledge-Based Syst.*, no. 463, pp. 21–29, 2013.

[26] J. M. Mendel and D. R. Wu, "Perceptual computing: Aiding people in making subjective judgments," *John Wiley and IEEE Press*, 2010.

[27] J. M. Mendel, L. A. Zadeh, E. Trillas, R. R. Yager, J. Lawry, H. Hagra, and S. Guadarrama, "What computing with words means to me," *IEEE Computational Intelligence Magazine*, pp. 20–26, 2010.

[28] H. Hagra, F. Doctor, V. Callaghan, and A. Lopez, "An incremental adaptive lifelong learning approach for type-2 fuzzy embedded agents in ambient intelligent environments," *IEEE Trans. Fuzzy Syst.*, vol. 1, no. 15, pp. 41–55, 2007.

[29] E. A. Jammeh, M. Fleury, C. Wagner, H. Hagra, and M. Ghanbari, "Interval type-2 fuzzy logic congestion control for video streaming across IP networks," *IEEE Trans. Fuzzy Syst.*, vol. 5, no. 17, pp. 1123–1142, 2009.

[30] C. Wagner and H. Hagra, "Toward general type-2 fuzzy logic systems based on z-slices," *IEEE Trans. Fuzzy Syst.*, vol. 4, no. 18, pp. 637–660, 2010.

[31] D. R. Wu and J. M. Mendel, "On the continuity of type-1 and interval type-2 fuzzy logic systems," *IEEE Trans. Fuzzy Syst.*, vol. 1, no. 19, pp. 179–192, 2011.

[32] L. A. Zadeh, "A Note on Z-numbers," *Inf. Sci. (Ny)*, vol. 181, no. 14, pp. 2923–2932, Jul. 2011.

[33] B. Kang, D. Wei, Y. Li, and Y. Deng, "A Method of Converting Z-number to," *J. Inf. Comput. Sci.*, vol. 3, no. March, pp. 703–709, 2012.

[34] Alireza Sotoudeh-Anvari and Soheil Sadi-Nezhad, "A new approach based on the level of reliability of information to determine the relative weights of criteria in fuzzy TOPSIS," *Int. J. Appl. Decis. Sci.*, 2015.

[35] Rafik A Aliev and Oleg H Huseynov, *Decision Theory with Imperfect Information*. New Jersey: World Scientific, 2014.

[36] A. Gegov, *Fuzzy Networks for Complex System: A Modular Rule Base Approach*. Springer-Verlag Berlin Heidelberg, 2011.

[37] A. Gegov, N. Petrov, and B. Vatchova, "Advanced modelling of complex processes by rule based networks," *2010 IEEE Int. Conf. Intell. Syst. IS 2010 - Proc.*, pp. 197–202, 2010.

[38] F. J. J. Santos and H. A. Camargo, "Decision support systems in multicriteria groups: An approach based on fuzzy rules," *Int. Conf. Fuzzy Syst.*, pp. 1–8, Jul. 2010.

[39] A. Gegov, N. Petrov, and E. Gegov, "Rule base identification in fuzzy networks by Boolean matrix equations," *J. Intell. Fuzzy Syst.*, vol. 1, no. 26, pp. 405–419, 2014.

[40] A. Gegov, F. Arabikhan, and N. Petrov, "Linguistic composition based modelling by fuzzy networks with modular rule bases," *Fuzzy Sets Syst.*, vol. 269, pp. 1–29, Jun. 2015.

[41] A. M. Yaakob and A. Gegov, "Interactive TOPSIS Based Group Decision Making Methodology using Z-Numbers," *Int. J. Comput. Intell. Syst.*, vol. 9, 2016.

[42] R. W. Chen, D. Navin-Chandra, and Fritz B. Prinz, "A Cost-Benefit Analysis Model of Product Design for Recyclability and its Application," *IEEE Trans. Compon. Packaging. Manuf. Technol.*, vol. 17, no. 4, 1994.

[43] Tom Clark, "Why Track Actual Costs and Resource Usage On Projects?," *ACM*, New York, Mar-2008.

[44] P. Grzegorzewski and E. Mrówka, "Trapezoidal approximations of fuzzy numbers—revisited," *Fuzzy Sets Syst.*, vol. 158, no. 7, pp. 757–768, Apr. 2007.

[45] A. M. Yaakob and A. Gegov, "Fuzzy rule based approach with z-numbers for selection of alternatives using TOPSIS," in *2015 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE)*, 2015, pp. 1–8.

[46] F. Tiryaki and M. Ahlatcioglu, "Fuzzy stock selection using a new fuzzy ranking and weighting algorithm," *Appl. Math. Comput.*, vol. 170, no. 1, pp. 144–157, Nov. 2005.

[47] J. Lukeman, *The Market Maker's Edge: Day Trading Tactics from a Wall Street Insider*. Canada: McGrawHill Professional, 2003.

[48] A. Roshayani, U. Laily, and M. A. Siti Maznah, *Financial Accounting An Introduction*, 2nd Editio. Malaysia: McGrawHill Education, 2007.

[49] J. J. Weygandt, D. E. Kieso, and P. D. & Kimmel, *Accounting principles*, 6th Editio. United State of America: John Wiley & Son, Inc., 2002.

[50] V. G. Hansen, "Detection performance of some nonparametric rank tests and an application to radar," *IEEE Trans. Inf. Theory*, vol. 16, no. 3, 1970.

[51] A. Serguieva and J. Hunter, "Fuzzy interval methods in investment risk appraisal," *Int. J. Inf. Sci. Fuzzy Sets Syst.*, vol. 142, no. 3, pp. 443–466, 2004.

[52] A. Serguieva, "Computational Intelligence in Asset Risk Analysis," Brunel University, 2004.

[53] A. Serguieva, T. Khan, and T. Kalganova, "An intelligent system for risk classification of equity investment projects," *J. Appl. Syst. Stud. Spec. issue Real Life Appl. Nat. Inspired Comb. Heuristics*, vol. 4, no. 2, pp. 236–261, 2003.

[54] A. Serguieva and T. Kalganova, "A neuro-fuzzy-evolutionary classifier of risky investments," in *Eleventh IEEE International Conference on Fuzzy Systems*, 2002, pp. 997–1002.



**Abdul Malek Yaakob** was born in Pahang, Malaysia in 1985. He received a Diploma in Computer Science, 2006, and BSc in Mathematics, 2008, from the Universiti Teknologi MARA, Malaysia. He was then awarded a MSc in Mathematics in 2011 (Universiti Teknologi Malaysia). Currently, he is final year PhD student in the School of Computing at the University of Portsmouth, UK.

Since February 2009 he has been a Tutor in Mathematics in the School of Quantitative Sciences at Universiti Utara Malaysia (UUM). Current and previous research interests include rule based systems and networks, computational intelligence, financial mathematics, and decision making analysis.



**Antoaneta Serguieva** is a Senior Teaching Fellow in Applied Mathematics / Mathematical Finance. She holds a PhD in Computer Science, MBA in Finance and MSc in Systems Engineering. She is Chair of IEEE CIS Computational Finance and



Economics Technical Committee since 2014; and with the Financial Computing and Analytics Group at University College London's Department of Computer Science since 2010. She is currently a Research Advisor in Advanced Analytics at Bank of England, and UCL Program Director for the collaborative UC-Berkeley/UCL Program in Computational Finance / Financial Engineering. Her interests cover nature inspired computational intelligence and heuristics in modelling complex socio-technical systems, contagion mechanisms, and cognition.

Dr Sergueieva is a Senior Member IEEE and Fellow HEA.



**Alexander Gegov** was born in Sofia, Bulgaria in 1961. He received a BSc in Automatics in 1987 and an MSc in Robotics in 1989 (Technical University of Sofia). He was then awarded a PhD in Control Systems in 1992 and a DSc in Intelligent Systems in 1997 (Bulgarian Academy of Sciences).

Since 2009 he has been Reader in Computational Intelligence in the School of Computing at the University of Portsmouth. He is author of 4 research monographs, 10 book chapters and more than 40 journal articles. Current and previous research interests include complex systems modelling and simulation, rule based systems and networks, and computational intelligence.

Dr Gegov is a Member IEEE and Fellow HEA.

**FIGURES AND TABLES**




Fig. 1: Horizontal merging of nodes




Fig. 2: Vertical merging of nodes




Fig. 3: Fuzzy network model for TOPSIS




Fig. 4: Fuzzy network for the FN-TOPSIS application to ranking traded equity

**TABLE I: LINGUISTIC TERMS FOR THE IMPORTANCE WEIGHT OF EACH CRITERION**

Linguistic Terms		Trapezoidal Fuzzy Number
Very Low (VL)	1	(0.00, 0.00, 0.00, 0.10)
Low (L)	2	(0.00, 0.10, 0.10, 0.25)
Medium Low (ML)	3	(0.15, 0.30, 0.30, 0.45)
Medium (M)	4	(0.35, 0.50, 0.50, 0.65)
Medium High (MH)	5	(0.55, 0.70, 0.70, 0.85)
High (H)	6	(0.80, 0.90, 0.90, 1.00)
Very High (VH)	7	(0.90, 1.00, 1.00, 1.00)

**TABLE II: LINGUISTIC TERMS FOR THE RATING OF EACH ALTERNATIVE**

Linguistic Terms		Trapezoidal Fuzzy Number
Very Poor (VP)	1	(0, 0, 0, 1)
Poor (P)	2	(0, 1, 1, 3)
Medium Poor (MP)	3	(1, 3, 3, 5)
Fair (F)	4	(3, 5, 5, 7)
Medium Good (MG)	5	(5, 7, 7, 9)
Good (G)	6	(7, 9, 9, 10)
Very Good (VG)	7	(9, 10, 10, 10)

**TABLE III: LINGUISTIC TERMS FOR THE LEVEL OF ALTERNATIVES**

Linguistic Terms		Trapezoidal Fuzzy Number
Very Bad (VB)	1	(0.00, 0.00, 0.00, 0.25)
Bad (B)	2	(0.00, 0.25, 0.25, 0.50)
Regular (R)	3	(0.25, 0.50, 0.50, 0.75)
Good (G)	4	(0.50, 0.75, 0.75, 1.00)
Very Good (VG)	5	(0.75, 1.00, 1.00, 1.00)

**TABLE IV: LINGUISTIC TERMS FOR THE IMPORTANCE WEIGHT OF EACH CRITERION**

Linguistic Terms		Trapezoidal Type 2 Fuzzy Number
Very Low (VL)	1	(0.00,0.00,0.00,0.10,1,1)(0.00,0.00,0.00,0.10,1,1)
Low (L)	2	(0.00,0.10,0.10,0.25,1,1)(0.00,0.10,0.10,0.25,1,1)
Medium Low (ML)	3	(0.15,0.30,0.30,0.45,1,1)(0.15,0.30,0.30,0.45,1,1)
Medium (M)	4	(0.35,0.50,0.50,0.65,1,1)(0.35,0.50,0.50,0.65,1,1)
Medium High (MH)	5	(0.55,0.70,0.70,0.85,1,1)(0.55,0.70,0.70,0.85,1,1)
High (H)	6	(0.80,0.90,0.90,1.00,1,1)(0.80,0.90,0.90,1.00,1,1)
Very High (VH)	7	(0.90,1.00,1.00,1.00,1,1)(0.90,1.00,1.00,1.00,1,1)

**TABLE V:** LINGUISTIC TERMS FOR RATING OF ALL ALTERNATIVES

Linguistic Terms		Trapezoidal Type 2 Fuzzy Number
Very Poor (VP)	1	(0,0,0, 1,1) (0,0,0, 1,1)
Poor (P)	2	(0,1,1,3,1,1) (0,1,1,3,1,1)
Medium Poor (MP)	3	(1,3,3,5,1,1) (1,3,3,5,1,1)
Fair (F)	4	(3,5,5,7,1,1) (3,5,5,7,1,1)
Medium Good (MG)	5	(5,7,7,9,1,1) (5,7,7,9,1,1)
Good (G)	6	(7,9,9,10,1,1) (7,9,9,10,1,1)
Very Good (VG)	7	(9,10,10,10,1,1)(9,10,10,10,1,1)

**TABLE VI:** LINGUISTIC TERMS FOR ALTERNATIVES LEVEL

Linguistic Terms		Trapezoidal Type 2 Fuzzy Number
Very Bad (VB)	1	(0.00,0.00,0.00,0.25,1,1)(0.00,0.00,0.00,0.25,1,1)
Bad (B)	2	(0.00,0.25,0.25,0.50,1,1)(0.00,0.25,0.25,0.50,1,1)
Regular (R)	3	(0.25,0.50,0.50,0.75,1,1)(0.25,0.50,0.50,0.75,1,1)
Good (G)	4	(0.50,0.75,0.75,1,1,1) (0.50, 0.75, 0.75, 1,1,1)
Very Good (VG)	5	(0.75,1.00,1.00,1.00,1,1) (0.75,1.00,1.00,1.00,1,1)

**TABLE VII:** LINGUISTIC TERMS FOR EXPERTS RELIABILITY

Linguistic Terms		Trapezoidal Fuzzy Number
Strongly Unlikely (SUL)		(0.00, 0.00, 0.00, 0.10)
Unlikely (UL)		(0.00, 0.10, 0.10, 0.25)
Somewhat Unlikely (SWU)		( 0.15, 0.30, 0.30, 0.45)
Neutral (N)		( 0.35, 0.50, 0.50, 0.65)
Somewhat Likely (SWL)		( 0.55, 0.70,0.70, 0.85)
Likely (L)		(0.80, 0.90, 0.90, 1.00)
Strongly Likely (SL)		(0.90, 1.00, 1.00, 1.00)

**TABLE VIII:** RANKING BASED ON TYPE-1, TYPE-2 AND Z FUZZY NUMBER IMPLEMENTATION OF PROPOSED FN-TOPSIS METHOD

Equity	Type-1 Implementation		Type-2 implementation		Z implementation	
	Final Score	Rank	Final Score	Rank	Final Score	Rank
E1	0.7900	6	0.6836	8	0.6931	5
E2	0.8090	3	0.7198	4	0.5712	10
E3	0.8813	1	0.8701	1	0.8221	1
E4	0.4283	20	0.2717	20	0.2615	20
E5	0.2735	22	0.1861	23	0.2267	23
E6	0.7871	7	0.7684	3	0.6355	7
E7	0.4652	14	0.3891	14	0.3029	17
E8	0.4388	18	0.2799	19	0.2936	19
E9	0.1730	25	0.1628	24	0.1152	25
E10	0.4555	16	0.3357	16	0.3490	16
E11	0.5084	12	0.4600	12	0.4169	13
E12	0.4528	17	0.2920	18	0.3640	15
E13	0.3661	21	0.2561	21	0.2457	21
E14	0.7506	9	0.6441	9	0.6376	6
E15	0.7936	5	0.6981	5	0.7237	3
E16	0.8467	2	0.8370	2	0.7571	2
E17	0.2551	24	0.1595	25	0.2409	22
E18	0.4308	19	0.3568	15	0.3746	14
E19	0.6536	10	0.5532	11	0.4993	11
E20	0.4629	15	0.2987	17	0.2977	18
E21	0.7761	8	0.6907	7	0.7029	4
E22	0.2616	23	0.1982	22	0.1849	24
E23	0.7956	4	0.6958	6	0.5940	9
E24	0.6338	11	0.5574	10	0.6315	8
E25	0.4899	13	0.3928	13	0.4937	12

**TABLE IX:** ALTERNATIVE RANKING BASED ON ESTABLISHED TOPSIS METHODS (EM) AND PROPOSED FN-TOPSIS METHODS (PM)

Equity	Actual	Conventional TOPSIS Approach (EM)		Non-Rule Based Fuzzy TOPSIS Approach (EM)			FN-TOPSIS Approach (PM)		
				T-1	T-2	Z	T-1	T-2	Z
E1	2	2	4	3	7	6	8	5	
E2	4	7	3	5	9	3	4	10	
E3	1	1	1	1	1	1	1	1	
E4	21	21	20	18	20	20	20	20	
E5	19	24	24	23	24	22	23	23	
E6	11	6	6	6	8	7	3	7	
E7	17	11	12	12	17	14	14	17	
E8	24	14	18	17	18	18	19	19	
E9	23	25	25	24	25	25	24	25	
E10	22	15	16	14	14	16	16	16	
E11	8	20	14	15	13	12	12	13	
E12	13	12	17	16	16	17	18	15	
E13	25	23	22	22	22	21	21	21	
E14	9	10	9	10	10	9	9	6	
E15	3	8	8	8	3	5	5	3	
E16	5	3	2	2	2	2	2	2	
E17	18	18	21	21	21	24	25	22	
E18	12	19	19	19	19	19	15	14	
E19	15	13	11	11	11	10	11	11	
E20	16	17	15	13	15	15	17	18	
E21	7	4	7	7	4	8	7	4	
E22	20	22	23	20	23	23	22	24	
E23	6	5	5	4	5	4	6	9	
E24	14	9	10	9	6	11	10	8	
E25	10	16	13	25	12	13	13	12	

**TABLE X: SPEARMAN RHO CORRELATION COEFFICIENT FOR ALL TOPSIS METHODS**

Equity	Conventional TOPSIS Approach (EM)		Non-Rule Based Fuzzy TOPSIS Approach (EM)						FN-TOPSIS Approach (PM)					
			T-1		T-2		Z		T-1		T-2		Z	
	$\partial_i$	$\partial_i^2$	$\partial_i$	$\partial_i^2$	$\partial_i$	$\partial_i^2$	$\partial_i$	$\partial_i^2$	$\partial_i$	$\partial_i^2$	$\partial_i$	$\partial_i^2$	$\partial_i$	$\partial_i^2$
E1	0	0	-2	4	-1	1	-5	25	-4	16	-6	36	-3	9
E2	-3	9	1	1	-1	1	-5	25	1	1	0	0	-6	36
E3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E4	0	0	1	1	3	9	1	1	1	1	1	1	1	1
E5	-5	25	-5	25	-4	16	-5	25	-3	9	-4	16	-4	16
E6	5	25	5	25	5	25	3	9	4	16	8	64	4	16
E7	6	36	5	25	5	25	0	0	3	9	3	9	0	0
E8	10	100	6	36	7	49	6	36	6	36	5	25	5	25
E9	-2	4	-2	4	-1	1	-2	4	-2	4	-1	1	-2	4
E10	7	49	6	36	8	64	8	64	6	36	6	36	6	36
E11	-12	144	-6	36	-7	49	-5	25	-4	16	-4	16	-5	25
E12	1	1	-4	16	-3	9	-3	9	-4	16	-5	25	-2	4
E13	2	4	3	9	3	9	3	9	4	16	4	16	4	16
E14	-1	1	0	0	-1	1	-1	1	0	0	0	0	3	9
E15	-5	25	-5	25	-5	25	0	0	-2	4	-2	4	0	0
E16	2	4	3	9	3	9	3	9	3	9	3	9	3	9
E17	0	0	-3	9	-3	9	-3	9	-6	36	-7	49	-4	16
E18	-7	49	-7	49	-7	49	-7	49	-7	49	-3	9	-2	4
E19	2	4	4	16	4	16	4	16	5	25	4	16	4	16
E20	-1	1	1	1	3	9	1	1	1	1	-1	1	-2	4
E21	3	9	0	0	0	0	3	9	-1	1	0	0	3	9
E22	-2	4	-3	9	0	0	-3	9	-3	9	-2	4	-4	16
E23	1	1	1	1	2	4	1	1	2	4	0	0	-3	9
E24	5	25	4	16	5	25	8	64	3	9	4	16	6	36
E25	-6	36	-3	9	-15	225	-2	4	-3	9	-3	9	-2	4
	0	556	0	36 2	0	630	0	40 4	0	33 2	0	36 2	0	32 0
$\rho$	<b>0.786</b>		<b>0.861</b>		<b>0.758</b>		<b>0.845</b>		<b>0.872</b>		<b>0.861</b>		<b>0.877</b>	
Method Ranking According Performance	6		3-4		7		5		2		3-4		1	